

# Creative Techniques For Managing Anxiety In General Practice: A Team-Based Strategy

Mansour Mohammed Alrejaye<sup>1</sup>, Rasha Bakheet Alsubaie<sup>2</sup>, Jamila Yahya Almasrahe<sup>3</sup>, Amnah Abdulah Alyami<sup>4</sup>, Ali Assaf Alassaf<sup>5</sup>, Ibrahim Eid Alrashedi<sup>6</sup>, Bader Obaid Alrashdi<sup>7</sup>, Abdulmajeed Abdullah Alforag<sup>8</sup>, Adel Abdellah Alharbi<sup>9</sup>, Haya Naher Alharbi<sup>10</sup>, Laila Adel Ebrahim Alfaqih<sup>11</sup>, Ibrahim Ahmed Khubrani<sup>12</sup>, Rami Ali Al Muhammadi<sup>13</sup>, Noha Hamdan Almuteir<sup>14</sup>, Abdullah Fahad Alqifari<sup>15</sup>, Dalal Ali Eilaqi<sup>16</sup>, Alhanouf Salman Muffareh Alharisi<sup>17</sup>

<sup>1</sup>Qassim Health Cluster

<sup>2</sup>Riyadh third Health Cluster

<sup>3</sup>Riyadh First Health Cluster

<sup>4</sup>Riyadh First Health Cluster

<sup>5</sup>Qassim Health Cluster

<sup>6</sup>Qassim Health Cluster

<sup>7</sup>Qassim Health Cluster

<sup>8</sup>Qassim Health Cluster

<sup>9</sup>Qassim Health Cluster

<sup>10</sup>Qassim Health Cluster

<sup>11</sup>Jizan University Hospital

<sup>12</sup>Riyadh First Health Cluster

<sup>13</sup>Hail Health Cluster

<sup>14</sup>Ministry of Health Qassim Branch

<sup>15</sup>MOH

<sup>16</sup>Senior specialist of nursing, Ministry of Health in Riyadh Region

<sup>17</sup>Nursing Specialist, Bani Malik Sector, Jabal Al-Hashr Health Center

## Abstract

Anxiety disorders are common in primary care and require individualized treatment plans for each patient. This research explores ways to manage anxiety through a team-based approach that promotes cooperation among healthcare professionals and involves patients in their care. By giving precedence to explicit communication, shared decision-making, and well-defined team roles, the study shows that joint care can improve patient outcomes and improve the efficiency of healthcare provision. The research also addresses challenges such as resistance to change, limited resources, and administrative issues, and offers practical suggestions to support teamwork in primary care. Enacting these approaches can help medical systems provide more effective and comprehensive care for people with anxiety disorders.

## Introduction

Anxiety is a mental health concern that shows up frequently in primary care practices and impacts both the physical and emotional health of patients. General practitioners (GPs), as primary care providers at the forefront of patient care, frequently act as the resource for individuals dealing with anxiety. However, addressing anxiety involves an approach that goes beyond medical knowledge and calls for collaboration with varied healthcare professionals, such as mental health experts, nurses, and other members of the healthcare team.

In primary care, managing anxiety can be improved by having healthcare providers work together on care plans. This investigation considers how teamwork—through effective communication, shared decision-making, and clear roles—can help address anxiety. By examining the benefits, challenges, and practical use of these methods, we aim to improve anxiety care in everyday clinical settings.

## Core Principles of Collaboration in Anxiety Treatment

Effectively dealing with anxiety in a general practice setting is rooted in three principles.

- **Effective Communication**

Effective communication within the team plays a role in coordinating patient care effectively and smoothly running the system in place to manage a patient's anxiety.

- **Shared Decision-Making**

Including a range of viewpoints in decision-making improves the quality of patient care by tailoring care plans to individual needs and leveraging the expertise of a multidisciplinary team. Including assessment and post-treatment evaluations. When team members have defined roles, they can focus more on their individual strengths, which ultimately improves the quality of care delivered.

These guidelines establish a structure for teamwork that allows teams to meet the different requirements of individuals suffering from anxiety disorders.

## **Benefits of a Team-Based Approach**

### **Elevated Patient Results**

Working together improves the accuracy of anxiety diagnosis and the efficiency of its treatment by leveraging the knowledge of different healthcare professionals, including specialists and general practitioners (GPs). This strategy ensures that care is customized for every individual. For example, people with mild anxiety may benefit from behavioral support from nurses, while those with more severe symptoms might need a psychiatrist to help manage medications.

### **Improved Productivity in Practice**

Team-based healthcare approaches increase efficiency in managing anxiety cases within practices by improving procedures and advancing patient care coordination using shared electronic health records (EHRs). These integrated systems support updates and reduce duplicate tasks, while interdisciplinary discussions help prioritize cases and distribute resources effectively according to particular requirements.

### **Engaged Patients**

Patients are more likely to follow their treatment plans when they feel listened to and supported. Trust grows when care is coordinated, making anxiety treatment more effective. Patients also appreciate clear guidance and simple explanations about their treatment options.

### **Encouraging Innovation in Healthcare**

Teamwork fosters inventive thinking by getting colleagues to share ideas and solve problems together. For example, working as a team has led to new solutions, such as online therapy and smartphone apps for cognitive-behavioral therapy (CBT).

### **Difficulties in Executing Collaborative Anxiety Care**

Although the advantages are evident in implementing a team-oriented strategy, coping with anxiety comes with its own collection of obstacles.

#### **1. Reluctance to Adopt Change**

Switching to a team-based approach can meet resistance in places accustomed to individual-centered care.

#### **2. Communication Barriers**

Without well-organized communication systems, important information may not be shared effectively, giving rise to inconsistent care.

#### **3. Lack of clarity in assigned responsibilities**

Having boundaries or ambiguous roles can lead to misinterpretations and reduce effectiveness in completing tasks productively.

#### **4. Constraints on Resources**

Collaboration can be limited by a shortage of mental health experts and insufficient resources to hire more staff or hold team meetings.

## **5. Leadership Gaps**

Strong leadership is important for driving change within an organization, guiding asset allocation, and resolving management conflicts effectively.

### **Strategies for Building Effective Collaborative Care Models**

#### **Develop a Culture of Teamwork**

Encourage honesty and respect in care settings by providing training regarding teamwork and good communication, which are key to building strong teams.

#### **Leverage Technology**

Utilize electronic health records for exchanging information among fields to guarantee every member of the team can refer to the same data source readily available to them. Telehealth systems allow patients to connect with health experts during times when face-to-face consultations are impractical.

#### **Clearly Define Roles**

Provide explicit instructions for managing anxiety, outlining each team member's role. For example, nurses might conduct assessments, general practitioners might manage treatment plans, and mental health specialists might provide specialist aid as required.

#### **Provide Training Opportunities**

Offer training sessions to keep team members up to date on the latest evidence-based ways to manage anxiety. Workshops on motivational interviewing, CBT, and medication management can help the team perform better.

#### **Engage Leadership**

Effective leader. Good leadership supports teamwork by encouraging team-based care while ensuring that all members have the support and resources they need. This helps everyone feel appreciated and assured in their responsibilities.

### **Sections**

As anxiety becomes more common, there is a growing need for new and effective ways to treat it. Using collaborative strategies while investigating novel ideas is important for boosting patient satisfaction and health outcomes. Adding technologies such as AI-based symptom tracking and forecasting to anxiety care could make teamwork more efficient and help patients become more involved in their treatment.

### **Conclusion**

Dealing with anxiety in a primary care setting presents an obstacle that can be addressed through teamwork and joint effort strategies for efficient patient treatment delivery. Encouraging communication channels and involving patients during decision-making, while defining explicit responsibilities within healthcare teams, are key for delivering patient-focused care effectively. In spite of encountering obstacles such as reluctance to adapt to changes and constraints on availability of supplies, in medical care settings. These problems can be tackled through planning and effective leadership.

When primary care providers work together and use creative solutions, they can improve anxiety treatment and build strong systems that conform to future healthcare needs. The future of anxiety care depends on team alliance and finding new ways to solve problems.

---

### **References**

1. Donelan, K., et al. (2013). Perspectives of Physicians and Nurse Practitioners on Primary Care Practice. *The New England Journal of Medicine*, 368(20), 1898–1906.
2. Pearson, D., et al. (2002). Barriers to Developing the Nurse Practitioner Role in Primary Care. *Family Practice*, 19(6), 641–646.

3. Jeffe, D. B., et al. (2004). Using Focus Groups to Understand Perspectives on Error Reporting. *The Joint Commission Journal on Quality and Patient Safety*, 30(9), 471–479.
4. Allen, D. (1997). The Nursing-Medical Boundary: A Negotiated Order? *Sociology of Health & Illness*, 19(4), 498–520.
5. Stathi, A., et al. (2013). Raising the Topic of Weight in General Practice: Perspectives of GPs and Primary Care Nurses. *BMJ Open*, 5(8), e008546.