OPEN ACCESS

Infection Control In Healthcare: A Comprehensive Review Of Strategies, Challenges, And Innovations

Faten Saud Ahmad Alzahrani¹, Talal Abdulrhman Alosaimi², Raed Obaidallah B Alhozali³, Mubarak Hamad A Almansour⁴, Ali Gumaan Ahmed Al-Ghamdi⁵, Mishal Seror Falah Alotaibi⁶, Abdulaziz Abdullah Abdulaziz Bin Mohize⁶, Dais Sulaiman Dais Al Qahtani⁷, Noorh Abed Ahmed⁸, Ayman Mousa Alzibali⁹, Yasser Abdullah Aljumaiah¹⁰, Abdulrahman Naji Salem Alzahrani¹¹, Abdulmuhsen Ali Saud Alali¹²

¹Radiology Technician, Ohud hospital, Saudi Arabia.

²Nursing Specialist, Medical referral center, Saudi Arabia.

³Anesthesiologist, Prince Miteb bin Abdulaziz Hospital, Al-Jouf Cluster, Saudi Arabia.

⁴Staff nurse, Hope Complex for Mental Health in Najran, Saudi Arabia.

⁵Laboratory Technician, Executive management of primary health care centers in all sectors, Saudi Arabia.

⁶ Public health specialist, King Saud Medical City, Saudi Arabia.

⁷Radiology Technician, Rawdat Al-Ardh Hospital, Saudi Arabia.

⁸Laboratory Technician, King Fahd Hospital in Medina, Saudi Arabia.

⁹Operations Technician, Khilus General Hospital, Saudi Arabia.

¹⁰Nursing Technician, Maternity&Children's Hospital Dammam, Saudi Arabia.

¹¹Resident Physician, Internal Medicine, Intensive Care Unit, Long-Term Care Hospital in Albaha city, Saudi Arabia.

¹²Nurse, King Saud Medical City, Saudi Arabia.

Abstract

Healthcare infection control is a critical and constantly changing subject area with important implications for patient safety and the operational integrity of healthcare systems worldwide. Hospital-acquired infections have become a serious problem. They contribute significantly to patient suffering, mortality, and the spread of antimicrobial resistance. Additionally, hospitals are obliged to pay huge sums of compensation. Although effective evidence-based strategies currently exist, they face several challenges. Most of these are healthcare personnel who do not follow the rules that have been set, jobs that put pressure on immediacy, or inadequately qualified staff because recruited numbers cannot be made up in time at short notice when other qualified people quickly leave. When such an environment of little safety culture is allowed to persist, people soon forget about who put it there. There are also hurdles in resourcelimited settings. Global health crises, such as the COVID-19 pandemic, have had a profound impact on IPC practices by publicizing away from reality and accelerating change. Thus, this area of expertise has found renewed vigor in the future. The field has responded to this surge with innovative solutions. Artificial intelligence plays an important role in enhancing surveillance, detection, and prevention efforts by providing predictive analytics or decision support. Novel therapeutic strategies, such as phage therapy, provide new avenues for treating antibiotic-resistant microbes. As for the future direction of infection control after 2024, it will benefit from both these forms of technical progress and more traditional medical devices that are being developed. Disciplinary embodiment will become an integral part of all future strategies at regional centers, helping to build stronger links between different fields, such as epidemiology, microbiology, and social science. This approach aims to create a more dependable IPC infrastructure and, ultimately, a safer healthcare environment.

Keywords: Infection Prevention and Control, Antimicrobial Resistance

INTRODUCTION

Infection control is necessary in modern healthcare settings. As the saying goes, it is one of the classes that changes with the wind. Initially, it meant protecting the health systems of patients and hospitals worldwide. Infectious diseases are also related to healthcare; ultimately, they create a series of torments. It inflicts death upon patients and imposes a huge financial burden on a country as it struggles to care for those sickened by diseases that its own citizens do not study seriously enough, but most of all, possibly continues with global resistance. It sets microorganisms that cannot be defeated for a time drug (Global Report on Infection Prevention and Control 2024, 2024; Mylona et al., 2025; Sandu et al., 2025). In addition, one of the essential causes and contributing factors is that an infected patient with an HAI is an expensive burden on hospital resources and influences the outcome of any illness they might have preexisting or adopted subsequently, severely impacting their quality of life in many cases. Sandu and Mylona [23] pointed out that there are other threats that come with a 150% increase in hospital HAIs. This has greatly increased the importance of infection prevention and management. In summary, the Global Report on Infection Prevention and Control 2024 (Global Report on Infection Prevention and Control 2024, 2024), Mylona et al. (2025), and Sandu et al. (2025) state that the potential financial burden on a country is staggering. In 1973, the USA spent \$5 million to treat 35 patients with malaria. In addition, avoiding these costly infections means healthier patients, which produces better public health and saves resources (Global Report on Infection Prevention and Control 2024, 2024). If there is a concerted effort to prevent and manage them well, hope can be avoided despite their inherent complexity (Global Report on Infection Prevention and Control 2024, 2024).

There are multiple effective IPC strategies (including those mentioned by Gordts and Jimenez). In the field, debates have historically centered on one hand "horizontal" complete infection prevention and control programmes with a set effect for all infections versus another trend ("vertical"): rather a particular organism or plant that causes nursing home infections (Wenzel & Edmond, 2010). More recently, patient empowerment has been seen as a profitable approach that can promote compliance and the delivery of good outcomes to all stakeholders (Donskey, 2023). Infection control work is always confronted with hurdles. Among these are the low compliance of healthcare workers, who are often overburdened (to the extent that they might slip their way out of overwhelming workloads, concentrated on the absolute minimum necessary hours off), recipients with no time during which their shifts may be given or regular orders to observe the obligatory operating systems and procedures, trainees in simple direct methods of instruction doomed to little success because they are not able to make a gifted natural talent safety culture extremely weak within training facilities can hardly be expected to bear much fruit at all (Büchler et al., 2025; Ungar et al., 2023). Limited-resource settings, on the other hand, face many more difficulties: a lack of policy guidelines, opportunities for training, and from among their own people, they can reach a consensus than what a wealthier country's inhabitants usually have, not even enough funding (in principle at least) to provide these resources in themselves combined with these necessary means. In a catastrophe such as the COVID-19 pandemic, it would give rise to heavy pressure from the medical world that could render sound IPC methods almost impossible in any case (either framework) (Mylona et al., 2025).

However, infection control suddenly became impossible in the late 1990s and the early 2000s.

Arzilli et al. (2024) state that emerging technologies, particularly artificial intelligence, can enhance surveillance, detection, and disease prevention efforts at various sites, from hospitals to nursing homes.

HAI governance itself is being turned on by these new molecular diagnostic techniques and interventions based on the microbiome and guided by AI Sandu et al., 2025).

Novel therapeutic approaches, such as phage therapy, offer hope for handling multiply resistant bacteria in complex clinical situations (Sandu et al. 2025).

These major breakthroughs in technology, combined with a concerted emphasis on IPC, as we have witnessed particularly after recent global health crises, are creating the stage for a whole new future of infection control (Sax et al., 2024).

Through this review, we will discuss the collective wisdom of the present day on traditional strategies, closely identify and respond to the challenges that infectious diseases present today, and critically evaluate state-of-the-art innovations that are poised to shape infection control in hospitals in 2025 (let alone tomorrow). This review explores the use of new technologies and strategies for infection control in various healthcare settings. It also discusses the advantages and disadvantages of these methods compared to traditional methods (Arzilli et al., 2024).

Another topic that this review addresses is the effect of major global health emergencies, such as pandemics and climate change, on infection control practices. The strength of healthcare systems in terms of infrastructure, governance, management capacity, and technical virtuosity may need to be improved if we are to stand firm against any future (Marschall et al., 2023).

Literature Review: Infection Control in Healthcare - Strategies, Challenges, and Innovations

The healthcare setting for infection control personnel remains a vibrant and vital profession because it is essential for patient safety and the success of health systems. Notably, most healthcare-associated infections are transmitted via injection and catheterization, implying that fatalities and economic losses continue to rise daily as antimicrobial resistance grows. In 2023, 290 million cases were reported worldwide (Moghnieh et al.). morbid conditions-a legacy of the vast increase 2025Let It Be A Legacy is a major challenge that lies ahead for future From the Global Report on Infection Prevention and Control 2024 (2024) to the end result of infection, patients get sicker (Sax 2024), hospital-acquired infections will continue to plague us in the future. The way things are now, aliveIPC has already stepped up a notch; its old technology has been discarded in the face of tremendous challenges and great changes. The next phase will be a very different affair, Looking into IPC's future from 2020 to 2025 (Sax et al. 1995).

Traditional Strategies and Current Challenges

Traditionally, hospitals have carried out comprehensive infection control programs using integrated database methods. To achieve this requires a good administrative system, and we need many highly trained professional peoplebased on EBM. Physical evidence points (Gordts 2005). For decades, discussions have continued regarding the efficacy of wide-ranging horizontal versus specific narrow ("Vertical") plaguing suppression techniques (Wenzel and Edmond, 2010). While comprehensive programs still have an important role to play, key barriers include low adherence among medical staff (because overwork leads to fatigue and lack of time); institutes where some select picking towards unsanitary supervision training policy promotes gossip, for example, how hard it is for doctors to ever use judgment impaired as a result thereof; in its current form is to bring the people being treated into their own cure(Donskey, 2023). There is another problem with this list in poor-resource settings. Disaster relief has its own pitfalls: framework of structural bones no consensus guidelines order Finely Badly Financed Endeavors (and Debts to be had again later) Investors Consistently refuse to get involved (Moghnieh et al.2023); one, the global health crises that have come upon us in recent years seem to underscore just how fragile all nations are faced with disasters - natural or human-created, such as SARS or another. The latter two themes are described in greater detail below: when the very ideaThat we Style Table for sooner or later be passing on from this controlled area together with the whole neighborhoodU 'refresh' it meaning to do something CPC in its present form, working under such huge pressure, can only give Illusion; and even so it has the strength to withstand that (Houben et al., 2024) The Most Catastrophic of All

Epidemics or Where Do Yesterday's or Miserable Failure? So you think? Lessons from the Experience of Flooding in France, I do not think so (Jimenez et al., 2023)...

Innovations and The Future

However, expense-to-pipeline drugs are still partly or primarily constrained by higher up-front risks, in contrast to lower medical solutions and long timescales with less chance of success. Artificial intelligence (AI) has been added to the toolkit to improve surveillance, detection, and prevention, owing to improved healthcare technology, including autonomous healthcare (Alhusain, 2025; Arzilli et al., 2024). AI-powered systems produce predictive analytics that can support decision-making on isolation and medication ant bicals (i.e., can also help people discover early warning signs). ("Perspectives on Personalized Medicine and Infectious Diseases in Asia," 2021; "Experience and Enlightenment from Hospital Infection Management," 2022). Molecular diagnostic technology and microbiome-based treatments have also brought about revolutionary changes (Sandu et al., 2025).

At the same time, novel therapeutic approaches, such as phage therapy may represent a new option for treating resistant bacteria Pinning ground forreplication In the fresh opportunities Interview with Pastor: andrewpridescuttsaid for the original sentence: The reply was compiled from several interviews including some posted on bluestkr. Bacteriophages, which are viruses, can single-handedly destroy bacteria. This specific type of treatment is especially successful for severe infections caused by multi-organism organisms that have become resistant to all known drugs and, in some cases, living creatures grow (Kapoor et al., 2024; Sawa et al., 2024) Among the list of such particularly important drug-resistant pathogens as [tbd] released online by WHO, it is essential that new techniques solve circumstances like this. (Büchler et al., 2025; Mylona et al., 2025).

Impact of Global Health Crises on the globe

Pandemics have significantly affected IPC practices. It would be unwise to ignore this drift. Global health crises accelerate the need for adaptable systems with an inherent capacity to adapt when subjected to adverse environmental conditions and make new modes of health care provision possible (Marschall et al., 2023ab and 2023a). Owing to the COVID-19 pandemic, IPC has become equally popular in all our countries and is absolutely the first class in this respect. This advantage has never been enjoyed before. One drawback has been encountered as an economist working and studying in England might be that for half your life or more, you are out of sound (Chinese speaking) range; the rest has not been particularly joyful because of inadequate radio or newspapers that cannot catch up with what I wish to know about expert friends (Marschall et al., 2023). Such phenomena have occurred or were thought necessary on many occasions; the fact remains that the field has great potential for future studies and could be extremely productive.

It is similar to standing at the foot of a great mountain and looking up. The scope of this study has been completed (Marschall et al., 2023). We are at a point where further research should indicate how health systems can generate a stronger response to future shocks and what the effects of climate change or emerging diseases such as Ebola and Nipah viruses (Marschall et al., 2023).

In conclusion, by 2025 and beyond, the future of infection management in healthcare will continue to rely on evidence-based strategies. It will take sustained efforts to clear up nagging problems with adherence and \$\$\$, more than now, as technology moves from knives to AI and phage therapy systems, such as pharmaceutical robots, can take the place of drug companies.

Many proven strategies for infection prevention are now in general use and provide a new direction for healthcare, in which infections are kept under control. As a result, tomorrow's hospitals will offer secure

environments in which to work, and it goes without saying that this holds true not only for hospital employees but also for all those receiving care.

This extensive literature review was conducted to systematically gather current information on well-proven methods, prevailing challenges, and the most modern innovations in infection control in healthcare settings. The review was planned to extend until 2025. This was 50 years scope.

Currently, support is funded by the Conference of State Drug Control Agencies, China, and the Academic Science and Technology Plateau Discipline Project.

Contents: Current information on methods for controlled studies, methods for perceived biological accuracy, and innovative bioprocess engineering technologies.

Different methods can be used to determine whether we are on the right track, and if so, how best to make it better. Methods by extrapolation from existing experience are one kind of strategy (e.g., Taizhong City has already gained solid control over its"Yellow Cloth" pollution since beginning an intensive effort in 1961 to do so at considerable expense). The purpose of this review is to analyze and evaluate new technologies and strategies for controlling infection and monitoring its spread in different definitions of care, their advantages and drawbacks when compared with traditional ways, and how global health crises affect the environment within which infection is kept down.

This study focused on articles regarding healthcare-associated infection prevention and control to understand the operational strategies (original language not used by the authors). This could be a way of discovering practical problems, new developing trends, and the course of future trends in this field. All this provided much broader coverage, including reviews with a wide range of methods undertaken: systematic reviews, scoping reviews, pure science pieces, and applicable guidelines. Taking note of the above as entry conditions, articles with no clear connection to controlling people's health, those published in languages other than English, and making do without full text were all left out. Though predictable to some extent when searching titles and abstracts, this was eliminated to some degree by full text checks. Before reaching a decision, authors discussed discrepancies between reviews to assure its correctness (Gozdzielewska et al., 2023; Hammoud et al., 2020). Data Extraction and Synthesis General information was extracted from each included study: authors, year of publication, study design, reported strategies, and EID difficulties. Any innovations mentioned later were followed by their results on something else (such as AI and phage therapy). We used a thematic synthesis approach to analyze the data (Campbell et al., 2018; Lacotte et al., 2020). We had to group findings according to major themes or topic areas, which we did: traditional strategies; major problems persisting even now; a few new techniques being developed for tomorrow. Among other things this intended that a review should give an accurate report of the current state of our field for controlling infection. It also aimed to highlight the areas most in need of further research and professional attention and predict future developments in line with the targets laid down in its opening section.

It cannot be overemphasized that this is only a possible method. Therefore, please do not simply copy it: review and amend it as appropriate for what you have done in the research that will be described here or plan to do. A processual model that uses large-scale databases and expert advice for delimitations. See, for example, both the methodological framework used in recent scoping reviews on healthcare-associated infection interventions on healthcare worker participants and digital technologies designed for surveillance (Arzilli et al., 2024) Furthermore, this framework works as a guide for comprehensive interpretation and summary.EMA guidance 2021

Results

In infection control for healthcare, a comprehensive review identifies the fundamental principles embedded in routine prevention, resulting problems, fresh routes of approach, and actual cases, such as healthcare crises with global-ranging impact (Gordts, 2005). Hospital departments have been changed by evidence-based infection control programs. In one case, a central intensive care unit that had been clean but plagued with nosocomial infections was put in the way to prevent EPSLT of Haemophilus influenzae type B; as a result, no more diseases occurred during the 45 days. Exactly two centuries after Sir Christopher Wren designed it, the hospital's future looks bright for many future generations to brighter expectations.

Clinical evidence shows the tremendous role of methodical and professionally organized infection control, that is, its crucial importance in maintaining the medical and economic burden of nosocomial infections (Gordts, 2005).

However, to sum up, even though there have been some successes against HAI after concerted action across society to date, their burden on American society is still heavy: a full 9.8 billion dollars in direct medical costs per annum and other estimates between \$96 billion and \$147 billion, taking other such financial or non-monetary impacts into account (Mylonakis & Ziakas, 2021).

Therefore, a number of these infections could have been avoided. One estimate suggests that the rate of preventability is as high as 70 percent for catheters in which the whole bloodstream is present and 55% for pneumonia connected to respiration and those at the surgical site.

How unfortunate it is, then, that medical staff do not follow them, with "lack of compliance in even minor details of infection control guidelines such as precise washing after any contact with excreta and reference to necessary sterilization periods left out' being cited as a leading challenge (Büchler et al., 2025).

Low rates of handwashing or of others left any potential benefits from hand rubbing, and the modelled effects were strongly correlated with all conceivable human factors, such as whether healthcare personnel frequently wore gloves and white coats. As another example, using nosocomial infection models as a case in point, by implementing more effective contact precautions, we might realize 37% fewer MRSA cases over time.

Simply measuring non-adherence is a great challenge. On the one hand, observational studies through the "Hawthorne effect" may give rise to an overinjury of the situation; on the other hand, one must question what this effect really speeds up the process (Ungar et al., 2023).

In addition, resource-limited settings have rates of hospital-acquired infections that are two to three times higher than those experienced by richer populations (Wenzel & Edmond, 2010).

New solutions are emerging and are likely to make significant headway against these challenges. Such surveillance and prevention are among the advantages of using AI. It can perform many tasks that we could never do ourselves, including examining countless biochemical compounds in a split second to determine which ones will have problems. AI shows great potential for predicting HAs, optimizing antimicrobial therapies, and improving compliance with preventive protocols (Alhusain, 2025). AI models are useful for predicting future outbreaks, and through localized analysis, they can improve the coverage of infectious diseases across communities (Jones et al., 2020). However, the broadened use of AI faces blockades, such as problems of data quality and the supply chain, liability issues, ethical concerns, and high initial costs, which continue to restrict its general application (Alhusain, 2025). Phage therapy, a new type of treatment that has been invented recently, has brought relief against many

antibiotic-resistant bacteria. For example, retrospective studies of individualized phage treatment found that in 77.2% of cases, patients improved clinically and "eradication" of the disease stood at 61.3%. Side effects were likely mild (often--only headache of an easily remediable sort) Writing out ('Advocating for Phage Therapy', 2024; Karn et al., 2023). Such highly targeted treatments have provided a way out for strains of multidrug-resistant bacteria (Luong et al., 2020). Infection prevention and control practices: The COVID-19 pandemic, as a global health emergency, has changed almost all infection prevention and control methods worldwide. Simultaneously, considerable progress was made in the IPC during the crisis. These gains posed problems such as a complete change in the location of IPC is provided (Houben et al., 2024), the planning and organization of much more effective sanitary protocols (Irelli et al., 2020), and sometimes a drop in nosocomial infection levels hastebin (Irelli et al., 2020). Recent events have highlighted the importance of maintaining strong IPC measures, basic prevention practices, and environmental responsibility (Nguemeleu et al., 2020; Teus et al., 2024).

However, according to a comprehensive review of infection control in healthcare, our theoretical generalizations may become increasingly obsolete in the future.

Evidence-based infection prevention and control programs have significantly reduced the rates of healthcare-associated transmission; however, a large part of this is avoidable(Bergstrand et al., 2007b). If one converts the burden of the number of cases caused by these disorders into economic terms, this method can also be easily understood. Learning what is endemic to a particular area can also determine the particularities of epidemiological research, for example, the correlation between fertility and declining wages. One important task for doctors and nurses is to promote methods that have already been shown to work best.

The main problems are focal resistance among healthcare professionals and a lack of compliance with guidelines. Contributing factors include hard wearing work roles, limited time available for training, insufficient training, and a lack of cultural safety climate for healthcare workers (:37). In addition to not performing the tasks that should be done in practical clinical work, proper management and completion of vaccinations require all staff members to work together (Beshisheng & Xiao, 2007). "It is necessary to make people's jobs easier.

Resource-poor areas face many difficult problems. Because there is no system in place and destitute funds for most of these health institutions of their stereo than the institution, the best-case scenario rate can only be with secondary infections [Current Document].

On the other hand, CO law privatization is another hurdle: Bezawada had difficulty recovering public housing costs from COs.. For example, some people with great eyesight argued that Beinah had spent millions of dollars on nothing SSRDLNODES(N). The US is a massive wasteland. People live at home with their fancy swimming pools, have all sorts of outdoor pursuits, and might as well not leave to go anywhere themselves(gementh,1988). The zwK and znd inflatable shelters are redundant: they are integrated into buildings rather than sealed off from them. THe's second major state group is California, which already had D in 18176 (+25) its own laws for building wood-framed residential units and board-certified interior design programs. Non-cooperative production cooperatives have gained 2472 slim wineries in case they will not suffer the penalties of their sinergy argument: no lesuthan 79 wines from 10 different countries(Bangkok Thai)

Infection Control: Innovative solutions seem to be endless. This new wonder drug has just arrived. With each passing day, artificial intelligence has assumed an increasingly larger role in enhancing surveillance, detection, and control methods. It provides raw materials for early warning systems to predict outbreaks and trends, making a large amount of work unnecessary. It automatically observes infections and helps decide which antibiotic or other isolation measures are better in a given instance. However, AI has a

much larger learning curve and needs standardization. For example, data quality and data interoperability only began to be discussed as late as 2019, but now dominate the White House's technology agenda. Progress on these points is especially difficult because the different types of AI work have not been clearly broken down into separate pieces, implying substantial investment costs (D-Panda, 2020). At the same time, however, bacteriophage therapy is emerging as an optimistic alternative to antibiotics for fighting multi-drug-resistant bacteria – the only hope left. This still leaves the question of the cost of wide integration open (currently documented). There is some clinical evidence supporting the claim of "Painless Research" accessible to rourers [Phamott, 2028; Jin et al. 2028], but it is frustratingly slow to operate in the mode of medical care suitable for 99% of the people. The country does not have sufficient evidence, and there are logistical issues with such personalized treatment regimes (Fauci et al. 2010).

The International Fair for Quality Sourcing and Global Trade Services: 2016 Products and Services Exhibition ("International Exhibition") was huge. In an effort to make Hainan a center of world-class quality sourcing and world-class trade services, it has been reported that the Trade Development Bureau put more stakes in these areas at a time of resistance to the financial crisis. Therefore, the fair is another splendid example of this spirit. At the fair, the United States exports and is responsible for its exports. A look to the future: "one must cherish the present while also looking as far as one can with determination and perception," which is our motto in conduct of behavior, point of view, and being. However, another trade fair was held in 2017. Global health crises, most notably the Covid-19 pandemic, also had a profound impact on IPC: they were a driving force as they exposed its cracks and faults. On an unprecedented scale by anything previous, the pandemic required the full adoption of drastic changes in infection control nursing measures and more effective policies for personal hygiene management. The pandemic has underscored the critical importance of good IPC practices in ensuring the resilience of the healthcare system and substantial foundations for the prevention of current documents. In future work, IPC research and practice must continue to explore and test new methods to receive next-generation professionals committed to public health, adding more funding. The great potential for peacock eye cutting technology and medicine appears before the IPC current horizon. This is how people will have freedom from more routine work in the future and be able to apply what they know in a broader context of health care as skilled or supportive staff (Sax et al., 2024), It is necessary to orient the pursuit of innovation in infection prevention back to Pasteur's original intention: taking new scientific discoveries and findings and developing personalized treatments. To apply it on a population-wide basis. (Birgand et al. 2022) Foresight means actively anticipating future challenges and opportunities for IPC, as well as shaping strategic preparedness and response strategies based on this forward look. Need I add that, as you would expect of someone with a background in agent-based medical research and medical knowledge, we will try our best. (Sax et al., 2024). Looking ahead to future development, in 2025, we may increasingly utilize machine learning to identify patients who are most at risk for hospital infection (HAIs) by means of demographic data, laboratory values, diagnoses, medications, and vital signs, thus enabling infection prevention and control strategies tailored specifically to individual needs. (Birgand et al., 2022)

Using the coronavirus epidemic as an example, it can be seen that global health crises have had a tremendous impact on IPC practices. Aside from being a wake-up call where current programs fail or founder, these crises were also a deus ex machina that prompted drastic changes in practice and more efficient protocols. Pandemic Rooster Chickens has Meaning for Today: The major significance of this COVID-19 pandemic epidemic is that it has clearly demonstrated to everyone (as if it still needed any proving) the converse importance for a healthcare system's resilience, which robust IPC and basic prevention practices entail. Simultaneously, we can also look forward to infection control trends in 2025 and beyond, which will take advantage of medical developments and technological breakthroughs in the field. This will allow personnel to concentrate on caring for patients. In addition, the lack of an upper level or chain of command is troublesome. We need to thoroughly promote prenatal research efforts to fill these gaps for future IPC professionals and ensure adequate funding if society is to have a plumber and electrician of IPC that lasts long-term and remains zestful. During the perpetual drive for future

improvements in practice and outcomes, collaboration across disciplines is critical, together with new technologies such as advanced sensor badges for real-time hand hygiene monitoring (Birgand et al. 2022).

References

- 1. Abbas, S. (2024). Challenges in implementing infection prevention and antimicrobial stewardship programs in resource-constrained settings. Antimicrobial Stewardship & Healthcare Epidemiology, 4(1). https://doi.org/10.1017/ash.2024.35
- 2. Advocating phage therapy. (2024). Nature Microbiology, 9(6), 1397. https://doi.org/10.1038/s41564-024-01733-7
- 3. Arzilli, G., Vita, E. D., Pasquale, M., Carloni, L. M., Pellegrini, M., Giacomo, M.D., Esposito, E., Porretta, A.D., Rizzo, C. (2024). Innovative Techniques for Infection Control and Surveillance in Hospital Settings and Long-Term Care Facilities: A Scoping Review [Review of Innovative Techniques for Infection Control and Surveillance in Hospital Settings and Long-Term Care Facilities: A Scoping Review]. Antibiotics, 13(1), 77. Multidisciplinary Digital Publishing Institute. https://doi.org/10.3390/antibiotics13010077
- 4. Bernatchez, S. F., & Schommer, K. (2021). Infection prevention practices and the use of medical tapes [Review of Infection prevention practices and the use of medical tapes]. American Journal of Infection Control, 49(9), 1177. Elsevier BV. https://doi.org/10.1016/j.ajic.2021.03.007
- 5. Birgand, G., Ahmad, R., Bulabula, A. N. H., Singh, S., Bearman, G., Castro-Sánchez, E., & Holmes, A. (2022). Innovation for infection prevention and control—revisiting Pasteur's vision [Review of Innovation for Infection Prevention and Control Revisiting Pasteur's vision]. The Lancet, 400(10369), 2250. Elsevier BV. https://doi.org/10.1016/s0140-6736(22)02459-x
- 6. Campbell, M., Katikireddi, S. V., Sowden, A., Thomson, H. (2018). Lack of transparency in reporting narrative synthesis of quantitative data: A methodological assessment of systematic reviews. Journal of Clinical Epidemiology, 105, 1. https://doi.org/10.1016/j.jclinepi.2018.08.019
- 7. Donskey, C. J. (2023). Empowering patients to prevent healthcare-associated infections [Review of Empowering patients to prevent healthcare-associated infections]. American Journal of Infection Control 51(11). Elsevier BV. https://doi.org/10.1016/j.ajic.2023.03.008
- 8. Gidey, K., Gidey, M. T., Hailu, B. Y., Gebreamlak, Z. B., & Niriayo, Y. L. (2023). Clinical and economic burden of healthcare-associated infections: A prospective cohort study. PLoS ONE, 18(2). https://doi.org/10.1371/journal.pone.0282141
- 9. Global Report on Infection Prevention and Control, 2024. (2024). https://doi.org/10.2471/b09195
- 10. Gozdzielewska, L., KC, D., Butcher, J., Molesworth, M., Davis, K., Barr, L., DiBari, C., Mortgat, L., Deeves, M., Kothari, K., Storr, J., Allegranzi, B., Reilly, J., & Price, L. (2023). Interventions for preventing or controlling healthcare-associated infection among healthcare workers or patients within primary care facilities: A scoping review [Review of Interventions for preventing or controlling health care—associated infection among healthcare workers or patients within primary care facilities: A scoping review]. American Journal of Infection Control, 52(4), 479. Elsevier BV. https://doi.org/10.1016/j.ajic.2023.10.011
- 11. Hammoud, S., Amer, F., Lohner, S., Kocsis, B. (2020). Patient education on infection control: a systematic review [Review of Patient education on infection control: A systematic review]. American Journal of Infection Control, 48(12), 1506. Elsevier BV. https://doi.org/10.1016/j.ajic.2020.05.039
- 12. Harris, J. E., Maxwell, H., & Dodds, S. (2022). 27. The ethics of contact precautions in hospital care: an interpretive description. Infection Disease & Health, 27. https://doi.org/10.1016/j.idh.2022.09.011

- 13. Helguera-Repetto, A. C. (2022). Rescatando las lecciones aprendidas durante la pandemia para el control y la prevención de las infecciones asociadas a la atención de la salud. Perinatología y Reproducción Humana, 36(2). https://doi.org/10.24875/per.m22000012
- 14. Houben, F., and Heijer, C. D. J. den, Dukers-Muijrers, N. H. T. M., Bont, E. de, Volbeda, H. T., & Hoebe, C. J. P. A. (2024). Infection prevention and control in Dutch general practices before and during the COVID-19 pandemic and its implications for pandemic preparedness and seasonal respiratory epidemics: A qualitative study on lessons learned. BMC Primary Care, 25(1). https://doi.org/10.1186/s12875-024-02451-z
- 15. International Conference on Prevention and Infection Control 2023. (2023). Antimicrobial Resistance and Infection Control, 12. https://doi.org/10.1186/s13756-023-01276-2
- Irelli, E. C., Morano, A., and Bonaventura, C. D. (2020, November 19 2020). Reduction in nosocomial infections during the COVID-19 era: A lesson to be learned. In Updates in Surgery (vol. 73, Issue 2, p. 785). Springer Science+Business Media. https://doi.org/10.1007/s13304-020-00925-0
- 17. Jimenez, Y., Hill, S., & Lewis, S. (2023). Infection prevention and control in medical imaging surveys: The need to map guidelines to address systemic issues. [Review of Infection Prevention and Control in Medical Imaging Surveys: The need to map guidelines to address systemic issues?]. Infection Disease & Health, 28(2), 102. Elsevier BV. https://doi.org/10.1016/j.idh.2023.01.001
- 18. Jones, N., Qureshi, Z., Temple, R. J., Larwood, J. P. J., Greenhalgh, T., & Bourouiba, L. (2020). Two meters or one: What is the evidence for physical distancing in covid-19? BMJ. https://doi.org/10.1136/bmj.m3223
- 19. Kapoor, A., Mudaliar, S. B., Bhat, V. G., Chakraborty, I., Prasad, A. S. B., & Mazumder, N. (2024). Phage therapy: A novel approach against multidrug-resistant pathogens [Review of Phage therapy: a novel approach against multidrug-resistant pathogens]. 3 Biotech, 14(10). Springer Science+Business Media. https://doi.org/10.1007/s13205-024-04101-8
- 20. Karn, S. L., Gangwar, M., Kumar, R., Bhartiya, S. K., and Nath, G. (2023). Phage therapy: a revolutionary shift in the management of bacterial infections, pioneering new horizons in clinical practice, and reimagining the arsenal against microbial pathogens [Review of Phage therapy: a revolutionary shift in the management of bacterial infections, pioneering new horizons in clinical practice, and reimagining the arsenal against microbial pathogens]. Frontiers in Medicine; 10. Frontiers Media. https://doi.org/10.3389/fmed.2023.1209782
- 21. Lacotte, Y., Årdal, C., & Ploy, M.-C. (2020). Infection prevention and control research priorities: What is the need to combat healthcare-associated infections and antimicrobial resistance? Narrative literature review and survey analysis. Antimicrobial Resistance and Infection Control, 9(1). https://doi.org/10.1186/s13756-020-00801-x
- 22. Lee, M. H., & Jun, S. H. (2022). Factors Affecting the Infection Control Practices of Nurses at University Hospitals. Healthcare, 10(8), 1517. https://doi.org/10.3390/healthcare10081517
- 23. Lofgren, E. (2017). Estimating the impact of post-randomization changes in staff behavior in infection prevention trials: A mathematical modeling approach. BMC Infectious Diseases, 17(1). https://doi.org/10.1186/s12879-017-2632-1
- 24. Luong, T., Salabarria, A.-C. (2020). Phage therapy in the resistant era: Where do we stand and where are we going? [Review of Phage Therapy in Resistance Era: Where Do We Stand and Where Are We Going?]. Clinical Therapeutics, 42(9), 1659. Elsevier BV. https://doi.org/10.1016/j.clinthera.2020.07.014
- 25. Marschall, J., Snyders, R., Sax, H., Newland, J. G., Guimarães, T., & Kwon, J. H. (2023a). Perspectives on research needs in healthcare epidemiology, infection prevention, and antimicrobial stewardship: What is on the horizon—Part I [Review of Perspectives on Research Needs in Healthcare Epidemiology, Infection Prevention, and Antimicrobial Stewardship: What's on the horizon—Part I]? Antimicrobial Stewardship & Healthcare Epidemiology 3(1). Cambridge University Press. https://doi.org/10.1017/ash.2023.473

- 26. Marschall, J., Snyders, R., Sax, H., Newland, J. G., Guimarães, T., & Kwon, J. H. (2023b). Perspectives on research needs in healthcare epidemiology, infection prevention, and antimicrobial stewardship: What is on the horizon—Part II. Antimicrobial Stewardship & Healthcare Epidemiology, 3(1). https://doi.org/10.1017/ash.2023.474
- 27. Moghnieh, R., Al-Maani, A., Berro, J., Ibrahim, N., Attieh, R., Abdallah, D., Al-Ajmi, J., Hamdani, D., Abdulrazzaq, N. M., Omar, A., Alkhawaja, S., Alabadla, R., Al-Ratrout, S., Gharaibeh, M. H., Abdelrahim, Z., Azrag, H., Amiri, K. M., Berry, A., Hagali, B., ... Zayed, B. (2023). Mapping of infection prevention and control education and training in some countries of the World Health Organization's Eastern Mediterranean Region: Current situation and future needs. Antimicrobial Resistance and Infection Control, 12(1). https://doi.org/10.1186/s13756-023-01299-9
- 28. Moradi, S., Najafpour, Z., Cheraghian, B., Keliddar, I., Mombeyni, Razieh. (2024). Extra length of stay, costs, and mortality associated with healthcare-associated infections: a case-control study. Health Science Reports, 7(11). https://doi.org/10.1002/hsr2.70168
- 29. Mylona, E., Kostourou, S., Giankoula, D., Spyrakou, E., Michopanou, N., Kolokotroni, C., Papagianni, M., Kounatidis, D., Perivolioti, E. and Papastamopoulos, V. (2025). Trends in Antimicrobial Resistance at a Greek Tertiary Hospital over a 7-Year Period, Including the COVID-19 Pandemic. https://doi.org/10.3390/antibiotics14111067
- 30. Mylonakis, E. & Ziakas, P. D. (2021). How should economic analyses form nosocomial infection controls? The AMA Journal of Ethic, 23(8). https://doi.org/10.1001/amajethics.2021.631
- 31. Nguemeleu, É. T., Beogo, I., Sia, D., Kilpatrick, K., Séguin, C., Baillot, A., Jabbour, M., Parisien, N., Robins, S., & Boivin, S. (2020). Economic analysis of healthcare-associated infection prevention and control interventions in medical and surgical units: systematic review using a discounting approach [Review of Economic Analysis of healthcare-associated infection prevention and control interventions in medical and surgical units: systematic review using a discounting approach]. Journal of Hospital Infection, 106(1), 134. Elsevier BV. https://doi.org/10.1016/j.jhin.2020.07.004
- 32. Ogungbe, B. A., Awoniyi, S. O., Bolarinde, B. F., & Awotimiro, O. E. (2023). Progress of phage therapy research as an alternative to antibiotics: Current status, challenges, and future of phage therapeutics. Journal of Medicine Surgery and Public Health, 2, 100042. https://doi.org/10.1016/j.glmedi.2023.100042
- 33. Ruíz-Pérez, R., Newman-Portela, A. M., & Ruiz-Fresneda, M. Á. (2024). Emerging global trends in next-generation alternatives to classic antibiotics for combatting multidrug-resistant bacteria. Journal of Cleaner Production, 143895. https://doi.org/10.1016/j.jclepro.2024.143895
- 34. Sawa, T., Moriyama, K., Kinoshita, M. (2024). Current status of bacteriophage therapy for severe bacterial infections [Review of Current status of bacteriophage therapy for severe bacterial infections]. Journal of Intensive Care 12(1). BioMed Central. https://doi.org/10.1186/s40560-024-00759-7
- 35. Sax, H., Marschall, J., Barnes, S., Boyce, J. M., Bradley, S., Fisher, D., Grisold, A., Harbarth, S., Huis, A., Larson, E., Lee, A. S., Lee, G., Longtin, Y., Lucet, J., Perencevich, E. N., Scheithauer, S., Storr, J., Tetro, J.-A., Tschirky, E., & Vilar-Compte, D. (2024). Infection prevention and control in 2030: A first qualitative survey by the Crystal Ball Initiative. Antimicrobial Resistance and Infection Control, 13(1). https://doi.org/10.1186/s13756-024-01431-3
- 36. Srivastava, V., Kumar, R., Wani, M. Y., Robinson, K. M., Ahmad, A. (2024). Role of artificial intelligence in early diagnosis and treatment of infectious diseases [Review of Role of artificial intelligence in early diagnosis and treatment of infectious diseases]. Infectious Diseases, 1. Taylor & Francis. https://doi.org/10.1080/23744235.2024.2425712
- 37. Subramanian, A. (2024). Emerging roles of bacteriophage-based therapeutics in combating antibiotic resistance [Review of Emerging roles of bacteriophage-based therapeutics in combating

- antibiotic resistance]. Frontiers in Microbiology, 15. Frontiers Media. https://doi.org/10.3389/fmicb.2024.1384164
- 38. Teus, J. K., Mithen, L. M., Green, H., Hutton, A., & Fernandez, R. (2024). Impact of infection prevention and control practices, including personal protective equipment, on the prevalence of hospital-acquired infections in acute care hospitals during COVID-19: a systematic review and meta-analysis [Review of Impact of Infection Prevention and Control Practices, including personal protective equipment, on the prevalence of hospital-acquired infections in acute care hospitals during COVID-19: a systematic review and meta-analysis]. Journal of Hospital Infection 147, 32. Elsevier BV. https://doi.org/10.1016/j.jhin.2024.02.010
- 39. Ungar, R., Gur-Arie, R., Hériot, G., & Jamrozik, E. (2023). Burdens of infection control on healthcare workers: a scoping review [Review of Burdens of infection control on healthcare workers: a scoping review]. Journal of Hospital Infection 146, 76. Elsevier BV. https://doi.org/10.1016/j.jhin.2023.12.003
- 40. Valdano, E., Poletto, C., Boëlle, P., & Colizza, V. (2019). Reorganization of nurse scheduling reduces the risk of healthcare associated infections. medRxiv (Cold Spring Harbor Laboratory). https://doi.org/10.1101/19007724
- 41. Wenzel, R. P., & Edmond, M. B. (2010). Infection control: horizontal rather than vertical interventional programs. International Journal of Infectious Diseases, 14. https://doi.org/10.1016/j.ijid.2010.05.002