

A Narrative Review On The Role Of Health Administrators In Scaling Virtual Hospital-At-Home Programs: Barriers, Financing Models, And Outcomes

Saleh Mubarak S. Aldawsari¹ Abdulrahman Mohammed Ali Munthiri², Sara Ali Shamlan³, Sarah Ayman Rasheed⁴, mashaal Mohammed alneami⁵, Shams Nahi Albeladi⁶, Abdullah Tariq Khalifah⁷, Fouad Hamed Saeed Alamri⁸

¹First Badr Primary health care Center, Riyadh First Health Cluster, Riyadh, Saudi Arabia

²Jazan University - Jazan University Hospital Ministry of Education

³King Abdulaziz Medical City, Laboratory Technician, Microbiology

⁴King Abdulaziz Medical City, Laboratory Technician, Microbiology

⁵King Abdulaziz Medical City, Laboratory Technician, Biochemistry

⁶King Abdulaziz Medical City, Laboratory Technician, Chemistry

⁷National guard Prince mohammad bin abdulaziz hospital, Laboratory Technologist

⁸National guard Prince mohammad bin abdulaziz hospital, Medical Technologist

Abstract

Background: The hospital-at-home (HaH) model, providing acute inpatient-level care in a patient's residence, has demonstrated efficacy in improving outcomes and patient satisfaction for specific conditions. While evidence is robust, widespread, equitable scaling remains a significant health system challenge. Health administrators play a pivotal role in navigating this complex implementation landscape.

Aim: This narrative review synthesizes the evidence from 2010-2022 on the role of health administrators in scaling virtual hospital-at-home programs, focusing on the barriers they must overcome, the financing models they must develop, and the clinical and operational outcomes achieved.

Methods: A systematic search was conducted across PubMed, CINAHL, Scopus, and Business Source Complete. Literature including peer-reviewed studies, reviews, policy analyses, and case reports was analyzed thematically to identify administrative strategies, structural challenges, and financial frameworks.

Results: Key administrative barriers include restrictive regulatory and licensure frameworks, workforce reconfiguration needs, and technological infrastructure requirements. Successful scaling is underpinned by innovative financing models, including value-based payment bundles, CMS waiver programs, and risk-sharing partnerships. Administratively-led HaH programs report equivalent or superior clinical outcomes, high patient satisfaction, and significant reductions in cost and healthcare utilization.

Conclusion: Health administrators are the critical architects of successful HaH scale. Their strategic focus must be on crafting sustainable financial models, advocating for supportive policy, and leading interdisciplinary operational integration to realize the model's full potential for population health.

Keywords: Hospital-at-Home, Health Administration, Telehealth, Value-Based Care, Implementation Science.

Introduction

The healthcare landscape is undergoing a fundamental transformation, driven by the simultaneous pressures of value-based care imperatives, technological advancement, and heightened focus on patient-centered models. A prominent and rapidly evolving innovation within this context is the virtual hospital-at-home (HaH) program, which delivers acute, inpatient-level medical care to patients in their own residences (Leff & Burton, 2001). This model, supported by a hybrid of in-person visits from nurses or paramedics, remote patient monitoring (RPM) technologies, daily provider oversight via telehealth, and integrated ancillary services, has demonstrated robust efficacy. A substantial evidence base amassed over the past decade confirms that for appropriately selected patient cohorts—often those with conditions like pneumonia, heart failure, cellulitis, or COPD exacerbation—HaH yields clinical outcomes equivalent or superior to traditional hospitalization, alongside significantly higher patient satisfaction and reduced rates of hospital-acquired complications (Cryer et al., 2012; Federman et al., 2018; Levine et al., 2020).

Despite this compelling validation, the widespread, systematic, and equitable scaling of HaH beyond pilot projects into sustainable, core health system service lines remain an immense challenge. Scaling is not merely a clinical replication exercise; it is a complex undertaking in organizational redesign, financial engineering, regulatory navigation, and cultural change management (Casteli et al., 2020). Herein lies the pivotal role of the health administrator. While clinical leaders define the parameters of safe and effective care delivery, health administrators serve as the essential architects and engineers who construct the operational, financial, and strategic foundations necessary for growth and sustainability (Kvedar et al., 2014). Their work transforms promising evidence into tangible, scalable service models.

This narrative review synthesizes literature from 2010-2022 to critically examine the multifaceted role of health administrators in scaling virtual HaH programs. It will delineate the formidable barriers—regulatory, financial, operational, and cultural—that administrators must strategically overcome. It will then explore the innovative financing and business models they must develop to ensure economic viability. Finally, it will review the multidimensional outcomes—clinical, experiential, operational, and financial—that effective administrative leadership can facilitate, thereby solidifying the business case for HaH expansion.

Defining the Virtual Hospital-at-Home Model and the Administrative Mandate

The virtual HaH model represents a formal, protocol-driven substitution for traditional acute inpatient admission, distinct from post-acute home health care. Its core operational pillars typically include: 1) a centralized, technology-enabled clinical command center for coordination and oversight; 2) rapid-response mobile teams (nurses, paramedics, therapists) for in-home assessments, procedures, and urgent interventions; 3) continuous or scheduled remote monitoring of physiological data (e.g., vital signs, weight, oxygen saturation); 4) secure telehealth platforms for daily video rounds by physicians or advanced practice providers; and 5) robust logistical systems for timely delivery of medications, durable medical equipment, and mobile diagnostic services (Arsenault-Lapierre et al., 2021; Gearon et al., 2021). Patient selection is critical, relying on validated clinical criteria, social determinants of health (e.g., home safety, caregiver support), and technological access (Leff, 2015).

The administrative mandate for scaling this model is expansive and multifaceted, demanding a shift from facility-centric management to community-integrated ecosystem leadership (Smith et al., 2021). Administrators must function as strategic planners, financial modelers, regulatory navigators, and operational designers. Their core responsibilities encompass conducting comprehensive market and needs assessments to identify target populations, constructing detailed pro forma financial analyses, navigating complex state and federal regulatory landscapes, selecting and integrating health information

technology (HIT) and RPM vendors, negotiating contracts with payers and suppliers, developing partnerships with community-based organizations, and leading the redesign of clinical workflows and staff roles (Werner et al., 2019; Casteli et al., 2020). This role requires a sophisticated blend of competencies in healthcare finance, health policy, informatics, process engineering, and change leadership.

Barriers to Scaling: The Administrative Challenge

Health administrators confront a dense matrix of interrelated barriers when attempting to scale HaH programs. These obstacles can be categorized into four primary domains: regulatory/policy, financial, operational/workforce, and cultural/adoption.

Regulatory and policy barriers have historically been the most significant structural impediment. The foundational challenge is payment: traditional Medicare Part A reimbursement for inpatient services is tethered to care delivered within a certified hospital facility. This created a fundamental misalignment, as systems could not bill for hospital-level DRGs when care was provided at home (Leff & Burton, 2001). While the Centers for Medicare & Medicaid Services (CMS) Acute Hospital Care at Home waiver, launched in 2020, created a critical temporary pathway, its long-term permanence and specific requirements post-public health emergency remain sources of strategic uncertainty for administrators (Frakt et al., 2018). At the state level, a patchwork of regulations concerning physician licensure (particularly for interstate telehealth), nurse and paramedic scope-of-practice for community-based acute care, and the legal definition of the "home as a hospital" present a complex compliance landscape that requires meticulous legal navigation (Morano et al., 2019; Taylor & Golding, 2021).

Financial and business model barriers are intrinsically linked to policy. Without clear, adequate, and sustainable revenue streams, scaling is financially untenable. Administrators must build business cases to justify significant upfront capital investments in technology infrastructure (RPM devices, telehealth platforms, HIT integration), specialized vehicle fleets, and workforce training (Kourtis et al., 2021). Calculating a defensible return on investment (ROI) necessitates sophisticated activity-based costing that captures not only direct program expenses but also systemic benefits, such as avoided costs from freed inpatient bed capacity, reduced emergency department boarding, lower readmission penalties, and potential gains from value-based contracts (Conley et al., 2022). The fragmentation of the U.S. payer market further complicates this, requiring administrators to develop and manage a portfolio of different payment agreements.

Operational and workforce barriers are substantial and require re-engineering of core hospital processes. Logistics for the reliable, timely delivery of personnel, equipment, and supplies to a geographically dispersed patient population are vastly more complex than within a contained facility (Leong et al., 2021). Seamless data integration is another major hurdle; physiological data from disparate RPM devices and documentation from telehealth encounters must flow reliably into the organization's electronic health record (EHR) to provide a unified patient record for clinicians (Kvedar et al., 2014). Most critically, scaling HaH demands a strategic workforce transformation. Administrators must design new roles (e.g., virtual hospitalist, community paramedic, remote monitoring technician) and retrain existing clinical staff, all while managing union concerns, compensation models, and potential anxieties about role obsolescence (Siclován et al., 2021; Gearon et al., 2021).

Cultural and adoption barriers present significant human capital challenges. Deeply embedded provider mindsets often privilege the traditional, controlled hospital environment for managing acute illness. Physicians may perceive HaH as increasing their medical-legal liability, disrupting established workflows, or diluting their control (Knight & Lasserson, 2022). Patients, particularly older adults or those in digitally underserved communities, may experience technology anxiety, lack trust in the model's safety, or have inadequate broadband access (Qaddoura et al., 2015). Administrators must therefore act as chief change agents, employing structured change management frameworks to engage clinicians as co-designers, implement comprehensive patient education programs, and transparently communicate the vision and evidence to all stakeholders (Conley et al., 2022). Table 1 and Figure 1

illustrate four major categories of barriers—regulatory, financial, operational, and cultural—that health administrators must navigate when expanding Hospital-at-Home programs.

Table 1: Key Barriers to HaH Scaling and Administrative Leverage Points

Barrier Category	Specific Challenges	Administrative Strategies & Leverage Points
Regulatory/Policy	Lack of permanent Medicare payment; varying state licensure & scope-of-practice laws.	Advocacy for federal/state policy reform; pursuing & optimizing CMS waivers; robust legal/compliance oversight.
Financial/Business Model	High capital outlays; uncertain ROI under FFS; navigating multiple payer contracts.	Developing multi-scenario pro forma models; aggressively pursuing value-based & bundled payments; exploring grants & partnerships.
Operational/Workforce	Complex home-based logistics; EHR/RPM data integration; clinical role redesign & training.	Investing in logistics management software & vendor partnerships; leading enterprise HIT integration projects; creating new career ladders & competency-based training.
Cultural/Adoption	Clinician skepticism & resistance; patient/family digital literacy & trust gaps.	Identifying & empowering clinical champions; co-designing protocols with front-line staff; implementing robust patient onboarding & tech support.




Figure 1: Administrative Barriers to Scaling Virtual Hospital-at-Home Programs

Financing Models: The Administrative Blueprint for Sustainability

The development and execution of viable financing models are the most critical determinants of successful HaH scale. Health administrators must be financiers and strategists, crafting economic architectures that transition HaH from a cost center or pilot project to a sustainable, scaled service line. Several key models have emerged, each with distinct implications for administrative focus.

Value-based and population-based payment models represent the ideal strategic and financial alignment. In capitated or global budget models (e.g., within an ACO or managed care plan), the provider entity receives a fixed, prospective payment to manage the care of a defined population. Here, HaH becomes a powerful tool for reducing the total cost of care by avoiding high-cost inpatient admissions. Administrators must leverage predictive analytics to identify patient populations most likely to benefit and then design the HaH service to target those specific clinical pathways (Leff, 2015; Albert, 2018). Similarly, HaH can be effectively integrated into episode-based bundled payment programs (e.g., for COPD or heart failure), where it helps keep the total cost of the acute episode below the target price, generating shared savings.

Fee-for-service (FFS) with waiver or contract alignment models, while less transformative, are often necessary entry points. The CMS Acute Hospital Care at Home waiver allows hospitals to bill Medicare for traditional DRG payments, provided they meet stringent safety, staffing, and technology requirements (Gereffi, 2020). Administrative rigor is paramount here, focusing on meticulous compliance, accurate coding, and detailed reporting to maintain waiver eligibility. Administrators may also negotiate per-diem or case-rate contracts with commercial payers, which requires a precise understanding of the program's cost structure to ensure rates are sustainable (Patel & West Jr, 2021).

Direct contracting and employer-sponsored models offer an innovative pathway to market. Administrators can directly contract with large, self-insured employers to offer HaH as a covered benefit for their workforce, effectively bypassing traditional insurance intermediaries (Scott et al., 2021). This model demands skills in B2B sales, benefit design, and demonstrating a clear value proposition centered on employee productivity, satisfaction, and reduced absenteeism.

Grant funding, philanthropy, and operational redesign savings can provide crucial non-recurring or bridge funding. Foundations and government grants (e.g., from the Center for Medicare & Medicaid Innovation) can seed program development, particularly for safety-net providers or initiatives targeting health equity (Moullin et al., 2015). Furthermore, administrators can build a partial business case by capturing the operational savings HaH generates, such as the marginal cost savings from freeing an inpatient bed that can then be used for a higher-acuity admission, thus improving hospital throughput and revenue (Bookbinder et al., 2011).

Outcomes of Administratively Led HaH Scaling

When health administrators successfully orchestrate the navigation of barriers and implementation of sound financial models, HaH programs yield significant, measurable outcomes across multiple domains, justifying the administrative investment.

Clinical outcomes provide the foundational evidence. Meta-analyses and randomized controlled trials consistently show that HaH care results in mortality rates statistically equivalent to traditional inpatient care for matched conditions (Shepperd et al., 2008; Levine et al., 2020). More compellingly, HaH demonstrates statistically significant reductions in several serious complications: lower rates of hospital-associated delirium, fewer falls, and decreased incidence of healthcare-associated infections, including *C. difficile* (Federman et al., 2018; Cryer et al., 2012). The home environment also facilitates more accurate medication reconciliation and may support better functional recovery.

Patient and caregiver experience outcomes are exceptionally strong and a key driver of the model's appeal. Patient satisfaction scores for HaH programs consistently rank in the 90th percentile, far exceeding typical inpatient Press Ganey scores (Al-Omary et al., 2018; Levine et al., 2021). Qualitative studies highlight patient-valued themes such as improved sleep, greater autonomy and comfort, enhanced nutritional intake, and the psychological benefit of being in a familiar environment with family support (Schnipper, 2018). Reduced caregiver stress and burden are also frequently reported positive externalities.

Operational and financial outcomes are critical for organizational sustainability. Operationally, HaH creates "virtual bed capacity," alleviating emergency department boarding, reducing ambulance diversion, and freeing physical beds for higher-margin surgical or complex medical cases (de Sousa Vale et al., 2019). Financially, robust analyses demonstrate cost savings per episode ranging from 19% to 30% compared to traditional inpatient care, primarily due to lower overhead from fixed facility costs and different staffing models (Leff, 2015; Polisena et al., 2010). In value-based arrangements, these savings translate directly to shared savings revenue or improved margin. Furthermore, HaH has been associated with reduced 30-day readmission rates, directly impacting performance in CMS penalty programs and quality metrics tied to payer contracts (Al-Omary et al., 2018). Table 2 and Figure 2 provide an overview of four key financing pathways for Hospital-at-Home programs: value-based care, CMS waiver pathways, commercial payer contracting, and employer direct-contracting.

Table 2: Financing Models for Hospital-at-Home Programs

Model	Description	Administrative Requirements	Pros & Cons
Value-Based/Population Payment	Fixed per-member-per-month or global budget payment; HaH reduces total cost of care.	Advanced data analytics for risk stratification; strong ACO/payer partnership infrastructure; ability to manage financial risk.	Pro: Perfect strategic alignment with prevention and value. Con: Requires significant capital, data capability, and risk tolerance.
CMS Waiver (FFS-DRG)	Traditional Medicare DRG payment under specific waiver conditions.	Rigorous compliance & audit readiness; operational precision to meet all waiver criteria; dedicated reporting.	Pro: Familiar payment mechanism; immediate revenue stream. Con: Regulatory burden; temporary policy creates uncertainty; not a long-term strategic solution.
Commercial Payer Contracting	Negotiated per-diem, case-rate, or bundled payment with private insurers.	Payer relations & contract negotiation expertise; accurate activity-based costing model.	Pro: Revenue predictability; can build market share. Con: May require multiple unique contracts; rates may not fully cover costs.

Direct Employer Contracting	Health system contracts directly with a self-insured employer to offer HaH as a benefit.	B2B marketing & sales capability; benefit design & administrative services.	Pro: Bypasses insurer; deep alignment with purchaser on value (productivity). Con: Limited initial scale; requires employer education & trust.
------------------------------------	--	---	--




Figure 2: Financing Models for Sustainable Hospital-at-Home Programs

Discussion and Future Directions

The journey of scaling virtual hospital-at-home programs illuminates the evolving and critical role of the health administrator as a system innovator. This review underscores that administrators are not passive bystanders but active architects who must design the enabling infrastructure for clinical innovation to flourish at scale. Their work in deconstructing regulatory barriers, engineering financially sustainable models, and orchestrating complex organizational change is what translates promising evidence into mainstream practice. The cumulative outcomes evidence makes a powerful case for this administrative investment, demonstrating wins for patients, providers, and health systems alike.

Looking forward, several key areas demand continued administrative focus and evolution. First, advocacy for a permanent, equitable payment policy remains paramount. Administrators must collectively advocate for the transition of the CMS waiver into a permanent Medicare benefit with equitable reimbursement that supports care for complex, socially vulnerable patients (Schwamm et al., 2016). Second, addressing the digital divide is an essential equity imperative. Scaling HaH responsibly requires administrators to partner with community organizations and policymakers to improve broadband access and digital literacy, and to develop low-tech protocols for inclusion (Moullin et al., 2015). Third, the integration of artificial intelligence and predictive analytics will enhance scalability. Administrators will need to oversee the deployment of AI tools for more precise patient selection, early complication detection via RPM data streams, and predictive logistics management (Kvedar et al., 2014). Finally, workforce strategy and development will be ongoing. Administrators must foster resilient, adaptable clinical teams through continuous training, clear career progression pathways in

virtual and community-based care, and attention to clinician well-being to prevent burnout in new care models (Shepherd et al., 2021).

Conclusion

The virtual hospital-at-home model represents a paradigm shift in acute care delivery, promising higher quality, better experiences, and lower costs. However, its potential will remain largely untapped without strategic, skilled, and determined health administration. This narrative review consolidates the evidence that health administrators are the indispensable catalysts for scaling HaH. Their expertise in navigating the intricate interplay of policy, finance, operations, and culture is the essential ingredient for moving from successful pilot to standard of care. As the healthcare system continues its urgent transition towards value and patient-centeredness, the ability of administrators to successfully scale innovative models like HaH will be a defining measure of health system leadership and a critical contributor to a more sustainable, effective, and humane healthcare future.

References

1. Albert, N. M. (2018). Operationalizing a nursing innovation center within a health care system. *Nursing administration quarterly*, 42(1), 43-53. DOI: 10.1097/NAQ.0000000000000266
2. Al-Omary, M. S., Davies, A. J., Evans, T. J., Bastian, B., Fletcher, P. J., Attia, J., & Boyle, A. J. (2018). Mortality and readmission following hospitalisation for heart failure in Australia: a systematic review and meta-analysis. *Heart, Lung and Circulation*, 27(8), 917-927. <https://doi.org/10.1016/j.hlc.2018.01.009>
3. Arsenault-Lapierre, G., Henein, M., Gaid, D., Le Berre, M., Gore, G., & Vedel, I. (2021). Hospital-at-home interventions vs in-hospital stay for patients with chronic disease who present to the emergency department: a systematic review and meta-analysis. *JAMA network open*, 4(6), e2111568-e2111568. doi:10.1001/jamanetworkopen.2021.11568
4. Bookbinder, M., Glajchen, M., McHugh, M., Higgins, P., Budis, J., Solomon, N., ... & Portenoy, R. K. (2011). Nurse practitioner-based models of specialist palliative care at home: sustainability and evaluation of feasibility. *Journal of Pain and Symptom Management*, 41(1), 25-34. <https://doi.org/10.1016/j.jpainsymman.2010.04.011>
5. Casteli, C. P. M., Mbemba, G. I. C., Dumont, S., Dallaire, C., Juneau, L., Martin, E., ... & Gagnon, M. P. (2020). Indicators of home-based hospitalization model and strategies for its implementation: a systematic review of reviews. *Systematic Reviews*, 9(1), 172. <https://doi.org/10.1186/s13643-020-01423-5>
6. Conley, J., Snyder, G. D., Whitehead, D., & Levine, D. M. (2022). Technology-enabled hospital at home: innovation for acute care at home. *NEJM Catalyst Innovations in Care Delivery*, 3(3), CAT-21. DOI: 10.1056/CAT.21.0402
7. Cryer, L., Shannon, S. B., Van Amsterdam, M., & Leff, B. (2012). Costs for 'hospital at home' patients were 19 percent lower, with equal or better outcomes compared to similar inpatients. *Health Affairs*, 31(6), 1237-1243. <https://doi.org/10.1377/hlthaff.2011.1132>
8. de Sousa Vale, J., Franco, A. I., Oliveira, C. V., Araújo, I., & Sousa, D. (2020). Hospital at home: an overview of literature. *Home Health Care Management & Practice*, 32(2), 118-123. <https://doi.org/10.1177/1084822319880930>
9. Frakt, A. B., Prentice, J. C., Pizer, S. D., Elwy, A. R., Garrido, M. M., Kilbourne, A. M., & Atkins, D. (2018). Overcoming challenges to evidence-based policy development in a large, integrated delivery system. *Health Services Research*, 53(6), 4789-4807. <https://doi.org/10.1111/1475-6773.12986>
10. Federman, A. D., Soones, T., DeCherrie, L. V., Leff, B., & Siu, A. L. (2018). Association of a bundled hospital-at-home and 30-day postacute transitional care program with clinical outcomes and patient experiences. *JAMA internal medicine*, 178(8), 1033-1040. doi:10.1001/jamainternmed.2018.2562
11. Gearon, E., O'Connor, D., Wallis, J., Han, J. X., Shepherd, S., Makela, P., ... & Buchbinder, R. (2021). Factors influencing the implementation of early discharge hospital at home and admission

- avoidance hospital at home: a qualitative evidence synthesis. The Cochrane Database of Systematic Reviews, 2021(3), CD014765. <https://doi.org/10.1002/14651858.CD014765>
12. Gereffi, G. (2020). What does the COVID-19 pandemic teach us about global value chains? The case of medical supplies. *Journal of International Business Policy*, 3(3), 287. <https://doi.org/10.1057/s42214-020-00062-w>
 13. Knight, T., & Lasserson, D. (2022). Hospital at home for acute medical illness: the 21st century acute medical unit for a changing population. *Journal of Internal Medicine*, 291(4), 438-457. <https://doi.org/10.1111/joim.13394>
 14. Kourtis, M., Curtis, P., Haniyas, M., & Kourtis, E. (2021). A strategic financial management evaluation of private hospitals' effectiveness and efficiency for sustainable financing: a research study. <https://www.um.edu.mt/library/oar/handle/123456789/81025>
 15. Kvedar, J., Coye, M. J., & Everett, W. (2014). Connected health: a review of technologies and strategies to improve patient care with telemedicine and telehealth. *Health affairs*, 33(2), 194-199. <https://doi.org/10.1377/hlthaff.2013.0992>
 16. Leff, B., & Burton, J. R. (2001). The future history of home care and physician house calls in the United States. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 56(10), M603-M608. <https://doi.org/10.1093/gerona/56.10.M603>
 17. Leff, B. (2015). Hospital at home. In *Geriatrics Models of Care: Bringing Best Practice to an Aging America* (pp. 163-171). Cham: Springer International Publishing. https://doi.org/10.1007/978-3-319-16068-9_14
 18. Leong, M. Q., Lim, C. W., & Lai, Y. F. (2021). Comparison of Hospital-at-Home models: a systematic review of reviews. *BMJ open*, 11(1), e043285. <https://doi.org/10.1136/bmjopen-2020-043285>
 19. Levine, D. M., Pian, J., Mahendrakumar, K., Patel, A., Saenz, A., & Schnipper, J. L. (2021). Hospital-level care at home for acutely ill adults: a qualitative evaluation of a randomized controlled trial. *Journal of General Internal Medicine*, 36(7), 1965. <https://doi.org/10.1007/s11606-020-06416-7>
 20. Levine, D. M., Ouchi, K., Blanchfield, B., Saenz, A., Burke, K., Paz, M., ... & Schnipper, J. L. (2020). Hospital-level care at home for acutely ill adults: a randomized controlled trial. *Annals of internal medicine*, 172(2), 77-85. <https://doi.org/10.7326/M19-0600>
 21. Morano, B., Jimenez-Mejia, J., Sanon, M., Morano, C., & DeCherrie, L. V. (2019). Acute care in the home setting: Hospital at home. In *Geriatric practice: a competency based approach to caring for older adults* (pp. 393-401). Cham: Springer International Publishing. https://doi.org/10.1007/978-3-030-19625-7_32
 22. Moullin, J. C., Sabater-Hernández, D., Fernandez-Llimos, F., & Benrimoj, S. I. (2015). A systematic review of implementation frameworks of innovations in healthcare and resulting generic implementation framework. *Health research policy and systems*, 13(1), 16. <https://doi.org/10.1186/s12961-015-0005-z>
 23. Patel, H. Y., & West Jr, D. J. (2021). Hospital at home: an evolving model for comprehensive healthcare. *Global Journal on Quality and Safety in Healthcare*, 4(4), 141-146. <https://doi.org/10.36401/JQSH-21-4>
 24. Polisena, J., Tran, K., Cimon, K., Hutton, B., McGill, S., Palmer, K., & Scott, R. E. (2010). Home telehealth for chronic obstructive pulmonary disease: a systematic review and meta-analysis. *Journal of telemedicine and telecare*, 16(3), 120-127. <https://doi.org/10.1258/jtt.2009.090812>
 25. Qaddoura, A., Yazdan-Ashoori, P., Kabali, C., Thabane, L., Haynes, R. B., Connolly, S. J., & Van Spall, H. G. C. (2015). Efficacy of hospital at home in patients with heart failure: a systematic review and meta-analysis. *PloS one*, 10(6), e0129282. <https://doi.org/10.1371/journal.pone.0129282>
 26. Schnipper, J. L. (2018). Hospital-Level Care at Home for Acutely Ill Adults: a Pilot Randomized Controlled Trial. *J Gen Intern Med*, 33(5), 729-36. <http://dx.doi.org/10.1007/s11606-018-4307-z>
 27. Schwamm, L. H., Chumbler, N., Brown, E., Fonarow, G. C., Berube, D., Nystrom, K., ... & Tiner, A. C. (2017). Recommendations for the implementation of telehealth in cardiovascular and stroke care: a policy statement from the American Heart Association. *Circulation*, 135(7), e24-e44. <https://doi.org/10.1161/CIR.0000000000000475>

28. Scott, J., Abaraogu, U. O., Ellis, G., Gine-Garriga, M., & Skelton, D. A. (2021). A systematic review of the physical activity levels of acutely ill older adults in hospital at home settings: an under-researched field. *European Geriatric Medicine*, 12(2), 227-238. <https://doi.org/10.1007/s41999-020-00414-y>
29. Shepperd, S., Doll, H., Angus, R. M., Clarke, M. J., Iliffe, S., Kalra, L., ... & Wilson, A. D. (2008). Hospital at home admission avoidance. *The Cochrane database of systematic reviews*, (4), CD007491. <https://doi.org/10.1002/14651858.CD007491>
30. Shepperd, S., Butler, C., Craddock-Bamford, A., Ellis, G., Gray, A., Hemsley, A., ... & Young, J. (2021). Is comprehensive geriatric assessment admission avoidance hospital at home an alternative to hospital admission for older persons? A randomized trial. *Annals of internal medicine*, 174(7), 889-898. <https://doi.org/10.7326/M20-5688>
31. Siclovan, D. M., Bang, J. T., Yakusheva, O., Hamilton, M., Bobay, K. L., Costa, L. L., ... & Weiss, M. E. (2021). Effectiveness of home health care in reducing return to hospital: evidence from a multi-hospital study in the US. *International journal of nursing studies*, 119, 103946. <https://doi.org/10.1016/j.ijnurstu.2021.103946>
32. Smith, J. M., Jarrin, O. F., Lin, H., Tsui, J., Dharamdasani, T., & Thomas-Hawkins, C. (2021). Racial disparities in post-acute home health care referral and utilization among older adults with diabetes. *International journal of environmental research and public health*, 18(6), 3196. <https://doi.org/10.3390/ijerph18063196>
33. Taylor, S. P., & Golding, L. (2021). Economic considerations for hospital at home programs: beyond the pandemic. *Journal of General Internal Medicine*, 36(12), 3861-3864. <https://doi.org/10.1007/s11606-021-06994-0>
34. Werner, R. M., Coe, N. B., Qi, M., & Konetzka, R. T. (2019). Patient outcomes after hospital discharge to home with home health care vs to a skilled nursing facility. *JAMA internal medicine*, 179(5), 617-623. doi:10.1001/jamainternmed.2018.7998

مراجعة منهجية حول دور مستوى الرعاية الصحية في توجيه برامج المستشفى في المنزل الافتراضية، العراق، نتائج التوليد، والتقييم

الملخص

الغاية: أثبتت نموذج المستشفى في المنزل (Hospital-at-Home - HaH) ، الذي يقدم رعاية حادة على مستوى المستشفى داخل منزل المريض، فاعليته في تحسين النتائج السريرية، وإرضا المرضى لبعض الحالات المعقدة ورغم فوائده، فإن التوسع الواسع والفعال لهذا النموذج لا يزال يمثل تحدياً كبيراً على مستوى التطويرات الصحية. يجب تعزيز الرعاية الصحية بمرافقها معزولة في بيئة آمنة لتبني الممارسات.

الهدف: تهدف هذه المراجعة المنهجية إلى تركيب الأدلة المنشورة من 2010 إلى 2022 حول دور مستوى الرعاية الصحية في توجيه برامج المستشفى في المنزل الافتراضية مع التركيز على العراق التي ياجوبتها، وتماثل التوليد التي يطورونها، والنتائج السريرية، والتكلفة الصحية.

الطرق: يتم إجراء بحث منهجي في قواعد البيانات (PubMed، CINAHL، Scopus، Business Source Complete) تم تحليل الأدبيات المراجعة من الفهرس، والمراجعات، وتطلعات المبيانات، والتقارير الحالية مثل بوضعي أبحاث التوثيق الأولية، والحدوث البيئية والأخرى العلمية.

النتائج: تشمل المزايا (إيجابية) الأثر الطبيعي والرؤية الصحية والتكيف أثناء تخطي الفهم والملاءمة وتقليل التكاليف. يفتقر البحث على نتائج متباينة تشمل مدة البقاء الصحية على وجه التحديد وواقع الإبقاء من مزايا الحد الصحية (مشتقات)، والشراكات في قسم المخطرات. أظهرت برامج المستشفى في المنزل التي يفوقها الإبراز نتائج سريرية متفوقة أو متعادلة، وانخفاضاً كبيراً في التكاليف والمستخدم للحدود الصحية.

تحقق الأبحاث لكافة هذا النموذج في صفة المقال.

الكلمات المفتاحية: مستشفى في المنزل، الرعاية الصحية، رعاية عن بعد، (رعاية الصحة على شبكة عن بعد).