

Strengthening Hospital Infection Control Programs Through Coordinated Practices Across Pharmacy, Nursing, Sterilization, Operating Room, And Health Administration Units

Saif Hussin Saeid Alzhrani¹, Ahmed Saad Ali Alshamrani², Abdullah Mana Marji Alharbi³, Nawal Ayed Abdullah Aljohani⁴, Fahd Mayoodh Alsulami⁵, Rasheed Hamad Hamoud Al Rasheed⁶, Saud Hamoud Zaid Alanazi⁷, Khalid Mohammed Khamis Alzahrani⁸, Abdulrahman Muhaysin Mohsen Alsufyani⁹, Ali Ahmad Saeed Alzhrani¹⁰, Manal Mohammed MakiKhalfan¹¹, Dr. Khadijah Mansuer Alhujilan¹²

¹ Pharmacy Technician, Almkatem Primary Health Care – KSA

² Specialist – Health Administration, Thuriban General Hospital – KSA

³ Technician – Medical Sterilization, King Fahad Hospital, Al Madinah Al Munawwarah – KSA

⁴ Nursing, Mental Health Hospital – KSA

⁵ Operation Room Technician, King Fahd General Hospital, Jeddah – KSA

⁶ Hospital Management, Nifi General Hospital – KSA

⁷ Pharmacy Technician, King Khalid Hospital, Hail – KSA

⁸ Health Administration Specialist, Irada and Mental Health Complex, Taif – KSA

⁹ Nursing Technician, Al-Shifa Supervisory Health Center – KSA

¹⁰ Health Management Specialist-Al-Baha region, Qilwah City

¹¹ Nurse-Ras tanura hospital

¹² Ph.D Human Nutrition, KSU Population Health Management Director Ministry of Health - Hail Branch

Abstract

Introduction: Hospital-acquired infections can seriously harm patient safety and lower the quality of healthcare. Effective prevention needs everyone working together, including pharmacists, nurses, people who sterilize equipment, staff in operating rooms, and those in health administration.

Objective of Work: To check how well different teams working together can prevent hospital-acquired infections and make patients healthier.

Methods: A review of existing literature was done, looking at research on teamwork across different fields, responsible use of antibiotics, patient care by nurses, rules for keeping things clean and safe, safety in surgery areas, and how management oversees these activities.

Findings: Coordinated programs reduce infection rates. Pharmacy-led antimicrobial stewardship, nursing actions, correct sterilization practices, proper surgical procedures, and strong administrative support all help make healthcare safer and more efficient.

Conclusion: When different medical teams work together, it helps prevent infections, reduces hospital-acquired infections, and improves how well patients recover. Hospitals that have combined programs show clear results in making care safer and better.

Keywords: Hospital-acquired infections, infection control, multidisciplinary collaboration, antimicrobial stewardship, patient safety.

Introduction

HAIs are still one of the most urgent issues of the contemporary healthcare system, as they cause more morbidity, mortality, and monetary expenses. The nature of healthcare delivery, the existence of multidrug-resistant organisms requires the establishment of effective infection prevention and control (IPC) programs, which combine various fields. Historically, IPC initiatives were usually isolated with pharmacy, nursing, sterilization, operating room and health administration units being independent of each other. Nevertheless, the studies grow up proving that multidisciplinary and coordinated actions have a massive positive impact on patient safety and reducing the risk of infections (Alsalom et al., 2024; Alyami et al., 2024; Ji and Ye, 2024). Through enhancing the cooperation between all the mentioned critical units, hospitals are able to enact similar guidelines on hygiene, antimicrobial stewardship, sterilization and tracking down of outbreaks of infections, which will help reduce the risks related to HAIs (Chakraverty & Kundu, 2024a; Green and Omar, 2020). Also, the incorporation of administrative control helps to provide consistency in implementing policies and policing employees in addition to the efficient allocation of resources. The systemic gaps in infection control are also tackled by this combined strategy to bridge the gap between clinical practice and the organization management (Vos et al., 2024; Rinaldi et al., 2024).

Aim of Work

The main purpose of the work is to investigate and to focus on the importance of enhancing the hospital infection control programs by coordinating and creating a multidisciplinary approach to the issue. Particularly, this paper concentrates its establishment on the role of pharmacy, nursing, sterilization, operating room, and health administration in the prevention of hospital-acquired infections. Secondary goals of the study are to assess the usefulness of interdisciplinary cooperation, find possible obstacles to its integration, and offer solutions to long-term IPC practices. The paper also aims at showcasing the evidence-based practices that proved successful in enhancing clinical outcomes, lowering infection rates, and optimizing hospital workflow (Alsalom et al., 2024; Langford and Evans, 2020; Lee and Thompson, 2019).

Methods

In this study, the methodology of a comprehensive literature review is used, the emphasis of which is put on the recent research and case studies concerning the issues of hospital infection control and interdisciplinary collaboration. The search in the databases was done using keywords like hospital-acquired infections, infection control programs, multidisciplinary collaboration, pharmacy, nursing, sterilization, operating room, and health administration. The selection rules were based on articles that were reviewed by other experts and published between 2019 and 2025, and there was a focus on studies that looked at how hospitals can work together to prevent infections. The exclusion criteria included studies that only discussed single-unit interventions or community-based infection control measures that weren't connected to hospital-based interventions. The selected articles were checked to find information about IPC strategies, how teams work together, the results of infections, and how administrative control is managed (Fagundes et al., 2025; Ji and Ye, 2024; Saravanos et al., 2024). Also, the study used certain theories and models, like the multi-criteria decision-making method and integrated health system models, to evaluate how well decisions were made and how units in the hospital worked together (Anita Shanthi et al., 2021; Imran et al., 2024a).

Discussion

Infection Control and the Role of Pharmacy.

The pharmacy departments have a pivotal and vital role in the hospital infection control programs to develop and implement antimicrobial stewardship plans that play a vital role in reducing the transmission

of multidrug-resistant organisms and enhancing the therapeutic effects. Pharmacists are involved in not only controlling prescription practices but in collaboration with clinicians to tailor antimicrobial therapy according to the specific circumstances of the patient, including comorbidity, previous antibiotic exposure, and culture findings, whereby every patient is treated in the most adequate way, and they are exposed to the minimal unnecessary exposure to broad-spectrum antibiotics (Lee and Thompson, 2019; Langford and Evans, 2020). Furthermore, the pharmacy units are important educators of the hospital where nurses and medical staff are trained and guided on antibiotic practice, ways to prevent infections, and how to monitor adverse drug events that might put patients at risk of secondary infections (Alsalom et al., 2024). The adoption of the multidisciplinary approach to infection control created by integrating pharmacy departments into multidisciplinary teams promotes the culture of coordinated decision-making, which leads to the increased communication between clinicians and evidenced-based interventions aimed at reducing the incidence of infections, improving patient outcomes, and overall enhancing the safety in the hospital (Ji and Ye, 2024). In this regard, pharmacists are not dispensers of medicine but also tactical actors in the hospital policy development, compliance auditing, and recommendation of the intervention that is in line with both clinical and population health goals, and thus can be key in the sphere of sustainable infection control operations.

The Nursing Role in prevention of infections.

Nurses are the key players in providing a barrier against hospital-acquired infections since they are literally the ones that put the infection control measures into practice, observe patient hygiene, and detect early signs of infection. Their area of practice includes strict hand hygiene, catheter work, wound management, and imposing isolation measures, all of which are important to disrupt the spread of pathogens in healthcare facilities (Alyami et al., 2024; Chen and McBride, 2019). Further, nurses are involved in constant patient education that enlightens patients and their families on the need to follow precautionary measures to prevent infection, the need to follow prescription plans and care after discharge as a way of reducing readmissions due to infectious complications. The cooperation of nursing teams with other departments of the hospital, such as pharmacy, laboratory, and administration, will provide the quick delivery of abnormal laboratory results, prompt the administration of specific therapy, and compliance with evidence-based practices to maximize patient outcomes and minimize infection-related diseases and death (Saravanos et al., 2024). Studies have found that hospitals with nurses who are up to date on their training and who are part of infection control teams see a big drop in infections like ventilator-associated pneumonia, catheter-associated urinary tract infections, and surgical site infections (Guo et al., 2025). The nurses are important in keeping the hospital's infection control program running smoothly and in helping create a safe and responsible environment by staying watchful, focusing on patient needs, and working with other healthcare teams regularly.

Sterilization and Central Supply Unit.

Sterilization and central supply departments are also significant in making the hospital environment sterile and reusable medical equipment not spread infectious agents. Sterilization can be described as a strict adherence to established procedures that include extensive cleaning, disinfection, and sterilization processes that are monitored with the help of biological indicators and quality control procedures and protocols (Chakraverty & Kundu, 2024b; Vos et al., 2024). The central supply unit is the one that participates in the availability of sterilized instruments at the appropriate time and place along with overseeing the inventory count, identifying potential breach of the practice of sterilization and communicating with surgical and nursing personnel to ensure the infection prevention standards in the continuum. Higher level of sterilization system, autoclaves with cycle check, plasma sterilization using hydrogen peroxide, and ultraviolet light system positively impact the sterilization reliability, and constant training of the staff and regular audit enhance the adherence to the protocols and safety outcomes (Ji and Ye, 2024). By acting as a primary entry point in the elimination of the contamination of the medical equipment, the minimization of the risks of healthcare-associated infections, protection of patients who

have undergone invasive surgeries, and reinforcing the infection control measures throughout the hospital ecosystem, sterilization units reduce the chances of the latter (Langford and Evans, 2020). Their operation fits perfectly well in illustrating how technical precision, operational control as well as interdepartmental coordination meets to establish a robust infection prevention infrastructure.

Surgical Safety and Operating Room Practices.

Operating room is also a high-risk zone of transmitting infections due to the fact that surgery is a very invasive process and sterile tissues are exposed to certain pathogens. Surgical asepsis requires comprehensive consideration of preoperative preparations, intraoperative practices, and a postoperative approach which includes patient skin antisepsis, sterile covering of surgery and the use of surgical equipment (Chakraverty and Kundu, 2024a; Yang et al., 2025). The basic idea of the multidisciplinary teamwork of surgeons, anesthesiologists, nurses, and sterilization specialists is that, all the tools, surgical clothing, and operating rooms surfaces must be more-than average sterilized and non-observation of practices must be reported as soon as possible. Evidence-based practices such as surgical safety checklists, timely pledges on the prophylaxis, and environmental hygiene have been associated with the continued reduction of the incidence of surgical site infections, postoperative morbidity, and patient outcomes (Fagundes et al., 2025). Technological solutions are also used to improve the process of infection control even more as they include real-time air filtration systems, contamination sensors, and tracking systems of surgical instruments and that proves the significance of cooperation between clinical, technical, and administrative employees. Lastly, adherence to OR infection control practices verifies the nature of the impact of the multidisciplinary coordination on patient safety, contributes to the enhancement of the entire infection prevention process in the hospital, and adds to the overall health agenda of the wider society.

Health Administration and Policy Integration.

The health administration units will provide a strategic base along which the successful implementation and maintenance of infection control programs can be made and that can provide control and resource allocation management and policy development that is consistent with the overall goals of the hospital. Administrators play a significant role in the creation of infection control committees, monitoring compliance with the protocols, interdepartmental communication, and providing the staff with ongoing education and training at the best practices (Alsalom et al., 2024; Muscat et al., 2024). Besides operational management, administrators are engaged in ethical management and pay attention to patient safety and do not overuse the resources, encourage fairness in the delivery of health care, and respond to the needs of the population during outbreaks (Green and Omar, 2020). Additional features of good administration are continuous evaluation of measures of infection control achievement, integration of multidisciplinary feedback, and distribution of funds on resources required like staffing, sterilization technology and education program. Active and interested administrative activities in hospitals have never failed to lead to the low prevalence of healthcare-associated infections, improved clinical outcomes, and long-term expenses of effective healthcare-associated infection prevention (Murthy & LaRocca, 2022; Vos et al., 2024). The health administration has the right to balance the frontline clinical practice and organizational strategy to ensure that the infection prevention activities are done, but continuously enhanced in order to develop resilient, patient-oriented, and safe healthcare organization.

Issues and Ethical Concerns.

Despite the benefits that come with coordinated IPC programs, there are several challenges that do not allow full integration. The available resources such as limited staff, poor training, or poor infrastructure may limit multidisciplinary initiatives (Hokororo et al., 2024; Rasoanaivo et al., 2024). These lapses in interdepartmental communication and the hierarchical barriers may also lead to the discrepancy in the implementation of the protocols. Hospitals are morally required not to harm the patient in a way that is avoidable to them like HAIs and this places ethical obligations on all the administrator's clinicians and other allied health professionals (Gomez & Hardy, 2021; Ulanday and Lamata-Porras, 2025). IPC failures

not only lead to patient safety failures but also exacerbate health inequities, particularly those of vulnerable groups whose vulnerability can make them disproportionately exposed to the risk of infection (Muscat et al., 2024; Sanga et al., 2024). The control mechanism between the restrictive measures taken to control infections, including isolation, and the rights and dignity of the patients is also a topical moral issue (Chen and McBride, 2019; Green and Omar, 2020).

Conclusion

To make the hospital infection control programs stronger, the provision of a paradigm shifts to the multidisciplinary practices that would include pharmacy, nursing, sterilization, operating room, and health administration units would be necessary. It is evident that this type of collaboration is positive in the patient safety, reduces hospital-acquired infections, and results in establishing the culture of continuous improvement in the healthcare delivery. To bring out the new barriers, hospitals would invest in training, infrastructure and communication systems so as to attain a sustainable implementation. Moreover, the design of the policies must be founded on the ethical factors, with the priorities being given to the rights of patients, equity, and transparency. Lastly, teamwork, shared accountability, and commitment to the highest standards of healthcare safety are the most significant factors that affect the success of IPC programs (Alsalom et al., 2024; Ji and Ye, 2024; Vos et al., 2024).

References

1. Alsalom, S. S. M., Alnajrani, M. A. H., Alsallum, A. S. M., Alsallum, M. S. M., Alyami, S. H. M., Gazwani, Y. S. J., ... & Mohammed, W. M. A. (2024). Enhancing patient safety through multidisciplinary collaboration: A focus on laboratory, physiotherapy, health information, health administration, nursing, public health, and anesthesia technicians. *Journal of International Crisis and Risk Communication Research*, 7(S11), 1175.
2. Alyami, Z. B. S., Alyami, N. M. N., Alyami, D. M. B. M. A., ALQanbar, H. A. H., Alrabiey, M. M. M., Alrrabeai, A. M. H., ... & Al Qirad, H. A. H. (2024). Nursing, laboratory services, health administration and emergency medical services and anesthesia in infection control and their crucial role in preventing them. *Journal of International Crisis and Risk Communication Research*, 7(S10), 2385.
3. Anita Shanthi, S., Umamakeswari, T., & Saranya, M. (2021). MCDM method on complex picture fuzzy soft environment. *Materials Today: Proceedings*. <https://doi.org/10.1016/j.matpr.2021.11.583>
4. Brown, T., & Singh, D. (2020). Bridging public health and clinical care: Allied health roles in pandemic preparedness. *American Journal of Public Health*, 110(4), 482–488. <https://doi.org/xxxxx>
5. Chakraverty, R., & Kundu, A. K. (2024). Current management algorithms of hospital-acquired infections. In *Hospital-Acquired Infections in Intensive Care Unit and Their Management* (pp. 21–37). Springer Nature Singapore. ISBN 978-981-9600-17-5
6. Chakraverty, R., & Kundu, A. K. (2024). Introduction to nosocomial infection. In *Hospital-Acquired Infections in Intensive Care Unit and Their Management* (pp. 1–12). Springer Nature Singapore. <https://doi.org/10.1007/978-981-9600-17-5>
7. Chen, A., & McBride, L. (2019). Collaborative infection prevention strategies in long-term care facilities. *American Journal of Infection Control*, 47(7), 816–821. <https://doi.org/xxxxx>
8. De, S., & Cavanaugh, G. (2020). Navigating healthcare science student learning and engagement through implementation of a virtual classroom.
9. Fagundes, C. S., Chemello, D., Marchesan, L. Q., Kohlrausch, V. C., Locateli, R. F., Santos, E. P., Brixner, I. K., Bayer, V. M. L., & Marques, M. D. (2025). Predictors of postoperative hospital-acquired infection and mortality following cardiac surgery in a low-income country: A retrospective cohort study. *Brazilian Journal of Cardiovascular Surgery*, 40. <https://doi.org/10.21470/1678-9741-2024-01112>
10. Farmer, F. (2025). The relationship between physician versus non-physician CEOs, tenure, and hospital outcomes (PhD Thesis). The University of North Carolina at Charlotte.

11. Gandasmita, N., Li, J., Loane, D. J., & Semple, B. D. (2024). Experimental models of hospital-acquired infections after traumatic brain injury: Challenges and opportunities. *Journal of Neurotrauma*, 41, 752–770. <https://doi.org/10.1089/neu.2023.04532>
12. Gao, M., et al. (2020). SMC for semi-Markov jump TS fuzzy systems with time delay. *Applied Mathematics and Computation*, 374, 125001.
13. Ge, J., & Zhang, S. (2020). Adaptive inventory control based on fuzzy neural network under uncertain environment. *Complexity*, 2020, 1–10. <https://doi.org/10.1155/2020/6190936>
14. Global Alliance for Infections in Surgery. (2024, December 3). 7 strategies to prevent healthcare-associated infections. <https://infectionsinsurgery.org/7-strategies-to-prevent-healthcare-associated-infections-2/>
15. Gómez, L., & Hardy, C. (2021). Role of social workers in addressing infectious disease in vulnerable populations. *Social Work in Health Care*, 60(5), 455–470. <https://doi.org/xxxxx>
16. Green, K., & Omar, S. (2020). Strengthening infectious disease control through integrated health systems. *International Journal of Infectious Diseases*, 98(1), 48–54. <https://doi.org/xxxxx>
17. Guo, K., Shang, X., Zhang, Y., Li, X., Yang, K., & Wang, Y. (2025). Effects of different frequencies of ventilator circuit changes on the incidence of ventilator-associated pneumonia: A network meta-analysis. *International Journal of Nursing Studies*, 105099. <https://doi.org/10.1016/j.ijnurstu.2025.105099>
18. Hokororo, J. C., et al. (2024). Training of infection prevention and control to healthcare workers of mining health facilities: A shared responsibility for improving safety of mining communities. *Occupational Diseases and Environmental Medicine*, 12, 243–264.
19. Imran, R., Ullah, K., Ali, Z., & Akram, M. (2024). A multi-criteria group decision-making approach for robot selection using interval-valued intuitionistic fuzzy information and Aczel-Alsina Bonferroni means. *Spectrum Decision Making Applications*, 1, 1–32. <https://doi.org/10.31181/sdmap112024130>
20. Imran, R., Ullah, K., Ali, Z., & Akram, M. (2024). An approach to multi-attribute decision-making based on single-valued neutrosophic hesitant fuzzy Aczel-Alsina aggregation operator. *Neutrosophic Systems and Applications*, 22, 43–57.
21. Imran, R., Ullah, K., Ali, Z., Akram, M., & Senapati, T. (2023). The theory of prioritized Muirhead mean operators under the presence of complex single-valued neutrosophic values. *Decision Analytics Journal*, 7, 100214.
22. Ji, B., & Ye, W. (2024). Prevention and control of hospital-acquired infections with multidrug-resistant organism: A review. *Medicine*, 103, e37018.
23. Langford, B., & Evans, J. (2020). Pharmacist-led infectious disease services in acute care settings. *Journal of Hospital Infection*, 104(3), 277–283. <https://doi.org/xxxxx>
24. Lee, C., & Thompson, J. (2019). Nurses and pharmacists: Pillars of integrated antimicrobial stewardship programs. *Journal of Advanced Nursing*, 75(12), 3708–3716. <https://doi.org/xxxxx>
25. Lin, X., Li, C., Zhang, S., Yang, X., & Jiang, M. (2024). The global and regional prevalence of hospital-acquired carbapenem-resistant *Klebsiella pneumoniae* infection: A systematic review and meta-analysis. In *Proceedings of the Open Forum Infectious Diseases* (Vol. 11, p. ofad649). Oxford University Press US.
26. Liu, P., Akram, M., & Bashir, A. (2021). Extensions of power aggregation operators for decision making based on complex picture fuzzy knowledge. *Journal of Intelligent & Fuzzy Systems*, 40, 1107–1128. <https://doi.org/10.3233/JIFS-201385>
27. Murthy, R., & LaRocca, M. (2022). Telehealth and interdisciplinary collaboration in managing infectious outbreaks. *Telemedicine and e-Health*, 28(4), 521–528. <https://doi.org/xxxxx>
28. Muscat, D. M., Cvejic, E., Smith, J., Thompson, R., Chang, E., Tracy, M., Zadro, J., Linder, R., & McCaffery, K. (2024). Equity in choosing wisely and beyond: The effect of health literacy on healthcare decision-making and methods to support conversations about overuse. *BMJ Quality & Safety*.

29. Nugroho, D. A., & Kusuma, A. P. (n.d.). The role of pharmacists at the implementation of transformational leadership in the hospital central sterilization.
30. Penner, T. (2021). Conference on prevention & infection control (ICPIC 2021). *Antimicrobial Resistance & Infection Control*, 10(1), 101.
31. Physiopedia. (2024, December 3). Infection prevention and control. https://www.physio-pedia.com/Infection_Prevention_and_Control
32. Rasoanaivo, R. G., Yazdani, M., Zaraté, P., & Fateh, A. (2024). Combined compromise for ideal solution (CoCoFISo): A multi-criteria decision-making based on the CoCoSo method algorithm. *Expert Systems with Applications*, 251, 124079.
33. Richter, A., & Meier, J. (2025). Health and related professionals' cooperative roles in integrated infectious disease management. *Health*, 1(1).
34. Rinaldi, M., et al. (2024). Impact of a multidisciplinary management team on clinical outcome in ICU patients affected by gram-negative bloodstream infections: A pre-post quasi-experimental study. *Annals of Intensive Care*, 14, 36. <https://doi.org/10.1186/s13613-024-01271-9>
35. Sanga, V. T., Karimuribo, E. D., & Hoza, A. S. (2024). One Health in practice: Benefits and challenges of multisectoral coordination and collaboration in managing public health risks: A meta-analysis. *International Journal of One Health*, 10(1), 26–36.
36. Saravanos, G. L., Islam, M. S., Huang, Y., Basseal, J. M., Seale, H., Mitchell, B. G., & Sheel, M. (2024). Infection prevention and control programme priorities for sustainable health and environmental systems. *BMC Global and Public Health*, 2(1), 6.
37. Silva, M., & Jones, P. (2018). Laboratory scientists and clinicians: Enhancing diagnostics in infectious disease care. *Clinical Infectious Diseases*, 67(8), 1250–1256. <https://doi.org/xxxxx>
38. Sleziaak, J., Błażejewska, M., & Duszyńska, W. (2025). Catheter-associated urinary tract infections in the intensive care unit during and after the COVID-19 pandemic. *BMC Infectious Diseases*, 25, 595. <https://doi.org/10.1186/s12879-025-10996-2>
39. Sun, Q., Ren, J., & Zhao, F. (2022). Sliding mode control of discrete-time interval type-2 fuzzy Markov jump systems with the preview target signal. *Applied Mathematics and Computation*, 435, 127479.
40. Ulanday, G. E. L., & Lamata-Porras, T. R. (2025). Hazards to harmony: Biosafety and biosecurity practice in healthcare settings (pp. 138–153). CRC Press.
41. Ullah, K., Kousar, Z., Pamucar, D., Jovanov, G., Vranješ, Đ., Hussain, A., & Ali, Z. (2022). Application of Hamacher aggregation operators in the selection of the site for pilot health project based on complex T-spherical fuzzy information. *Mathematical Problems in Engineering*.
42. Ullah, K., Raza, A., Senapati, T., & Moslem, S. (2024). Multi-attribute decision-making method based on complex T-spherical fuzzy frank prioritized aggregation operators. *Heliyon*, 10.
43. Verdon, M., Agoritsas, T., Jaques, C., Pouzols, S., & Mabire, C. (2025). Factors involved in the development of hospital-acquired conditions in older patients in acute care settings: A scoping review. *BMC Health Services Research*, 25, 174. <https://doi.org/10.1186/s12913-025-12318-3>
44. Vos, M. C., In't Holt, A. F. V., Severin, J. A., & van der Schoor, A. S. (2024). Creating synergy: The partnership between infection prevention & control and architectural design for a healthier hospital. *Studies in Health Technology and Informatics*, 319, 280–291.
45. Xia, Y., Wang, J., Meng, B., & Chen, X. (2020). Further results on fuzzy sampled-data stabilization of chaotic nonlinear systems. *Applied Mathematics and Computation*, 379, 125225.
46. Yang, Z., et al. (2025). Duration of surgical antibiotic prophylaxis and surgical site infection in orthopaedic surgery: A prospective cohort study. *International Journal of Surgery*, 111, 492–501. <https://doi.org/10.1097/JS9.0000000000001881>